

This does work. Why have the option to not use the token if it is required to use a token? In version 10.2 the port was not included in the URL. In 10.2.1 the port has to be included. However, for this to work in 10.2.1 ArcGIS Server the service folder that contains the feature access service must be shared to public if the ArcGIS Server security is set to use Windows Active Directory.

Edit ArcGIS Server

☒ SERVER ☐ PORTAL ☐ AGOL

ArcGIS Server Connection

Do you wish to use token? ☐ Yes ☒ No

Name: AGS_CAN...

URL: http://server:6080/arcgis/
Example: http://<hostname>:<port>/arcgis/

Update Interval: 5 Minutes

Register Cancel

When I attempt to get a token I get the dialog you describe. But I don't know if I'm entering a userID/password that makes sense. The ArcGIS Server instance is using Windows Active Directory for authentication. In the dialog for generating the token I enter a windows AD domain ID and password and I do prefix the ID with the domain name (DOMAIN\USERID). Anyhow, I enter the generated token but the connection is not successful.

Register ArcGIS Server

☒ SERVER
 ☐ PORTAL
 ☐ AGOL

ArcGIS Server Connection

Do you wish to use token? ☒ Yes ☐ No

Name:

URL:
 Example: http://<hostname>:<port>/arcgis/

Update Interval: Minutes

Token:

To acquire token, go to
<https://canton-1000:6443/arcgis/tokens/>
 and enter the below Url in the 'HTTP referer' parameter :
https://canton-1000:6143/geoevent/admin/datastores/agsconnection/AGS-Token_CANTON-1000

Register Cancel

Username

Password

Client

HTTP referer:

IP:

Expiration

Format

Generate Token

The two connections with the Green status arrow are NOT using tokens.

← → ↻ 🏠 <https://localhost:6143/geoevent/manager/site.html> ☆

📄 Apps 🌐 Esri 📄 Google 📄 IGoogle 📄 GEP Manager 📄 Imported From IE 📄 Other b

[Help](#) | [Sign Out](#)

ArcGIS GeoEvent Processor Manager

Services
Site
Security
Logs

GeoEvent Processor

Components

GeoEvent Definitions

Tags

GeoFences

Connectors

Configuration Store

Data Stores

Data Stores

Data registration provides GeoEvent Processor with a list of locations where source data for Inputs, Outputs, and GeoEvent Services originates. Click 'Validate All' to determine if Registered Folders and Registered ArcGIS Servers are accessible.

Validate All

Registered Folders

Register Folder

Status	Name	Permission		
✓	Data	Read, Write	✎	✕
✓	EventLogs	Read, Write	✎	✕

Registered ArcGIS Server

Register ArcGIS Server

Status	Name	Type		
✓	AGS_C...	SERVER	✎	✕
✗	AGS_Token_C/	SERVER	✎	✕
✓	AGS_US...	SERVER	✎	✕