

Build iLenexa of project iLenexa with configuration Debug

```
ld build/Debug-iphonesimulator/iLenexa.app/iLenexa normal i386
cd /Users/enterprise/enterpriseandtechnology/lenexa/Desktop/iLenexaSourceFolder/iLenexa
setenv MACOSX_DEPLOYMENT_TARGET 10.5
setenv PATH "/Developer/Platforms/iPhoneSimulator.platform/Developer/usr/bin:/Developer/usr/bin:/usr/bin:/usr/sbin:/sbin"
/Developer/Platforms/iPhoneSimulator.platform/Developer/usr/bin/gcc-4.2 -arch i386 -isysroot /Developer/Platforms/iPhoneSimulator.platform/Developer/SDKs/iPhoneSimulator3.2.sdk -L/Users/enterprise/enterpriseandtechnology/lenexa/Desktop/iLenexaSourceFolder/iLenexa/build/Debug-iphonesimulator -L/Users/enterprise/enterpriseandtechnology/lenexa/Library/SDKs/AGSCore/iphonesimulator.sdk/usr/local/lib -L/Users/enterprise/enterpriseandtechnology/lenexa/Library/SDKs/AGSIPhone/iphonesimulator.sdk/usr/local/lib -L/Users/enterprise/enterpriseandtechnology/lenexa/Desktop/iLenexaSourceFolder/iLenexa/../../../../Library/SDKs/AGSIPhone/iphonesimulator.sdk/usr/local/lib -F/Users/enterprise/enterpriseandtechnology/lenexa/Desktop/iLenexaSourceFolder/iLenexa/build/Debug-iphonesimulator -filelist /Users/enterprise/enterpriseandtechnology/lenexa/Desktop/iLenexaSourceFolder/iLenexa/build/iLenexa.build/Debug-iphonesimulator/iLenexa.build/Objects-normal/i386/iLenexa.LinkFileList -mmacosx-version-min=10.5 -all_load -ObjC -Xlinker -ObjC_abi_version -Xlinker 2 -framework Foundation -framework UIKit -framework CoreGraphics -framework CoreData -framework CoreLocation -framework QuartzCore -IAGSIPhone -o /Users/enterprise/enterpriseandtechnology/lenexa/Desktop/iLenexaSourceFolder/iLenexa/build/Debug-iphonesimulator/iLenexa.app/iLenexa
```

Undefined symbols:

```
 ".objc_class_name_CCLocationManager", referenced from:
  literal-pointer@_OBJC__cls_refs@CCLocationManager in libAGSIPhone.a(AGSGPS.o)
 ".objc_class_name_UIButton", referenced from:
  literal-pointer@_OBJC__cls_refs@UIButton in libAGSIPhone.a(AGSCallout.o)
 ".objc_class_name_NSMutableArray", referenced from:
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSMapView.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSProjectionUtility.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSGeometryServiceTask+AGSGeometryArray.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(NSDictionary+AGSAdditions.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSFeatureSet.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSMultiPoint.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSPolygon.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSPolyline.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSTiledLayer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSDynamicMapServiceLayer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSRequest.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSGeometryServiceTask.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSGeometryServiceTask+AGSGeometryArray.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSGeometryServiceTask+AreasAndLengths.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSGraphicsLayer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSFeatureLayer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSCompositeSymbol.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSGeoprocessor.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSLocator.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(SBJSONBase.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(SBJSONParser.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSFindTask.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSIdentifyTask.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSClassBreaksRenderer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSMapServiceInfo.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(JSNUtility.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSFeatureLayerModeModule.o)
  literal-pointer@_OBJC__cls_refs@NSMutableArray in libAGSIPhone.a(AGSTiledGraphicsLayer.o)
 ".objc_class_name_NSNotificationCenter", referenced from:
  literal-pointer@_OBJC__cls_refs@NotificationCenter in libAGSIPhone.a(AGSMapView.o)
  literal-pointer@_OBJC__cls_refs@NotificationCenter in libAGSIPhone.a(AGSDynamicLayerView.o)
  literal-pointer@_OBJC__cls_refs@NotificationCenter in libAGSIPhone.a(AGSTiledLayerView.o)
 ".objc_class_name_NSAutoreleasePool", referenced from:
  literal-pointer@_OBJC__cls_refs@NSAutoreleasePool in libAGSIPhone.a(AGSMultiPoint.o)
  literal-pointer@_OBJC__cls_refs@NSAutoreleasePool in libAGSIPhone.a(AGSPolygon.o)
  literal-pointer@_OBJC__cls_refs@NSAutoreleasePool in libAGSIPhone.a(AGSPolyline.o)
  literal-pointer@_OBJC__cls_refs@NSAutoreleasePool in libAGSIPhone.a(AGSTileRequestOperation.o)
 ".objc_class_name_NSMutableDictionary", referenced from:
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSMapView.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSTiledLayerView.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSGPS.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(NSDictionary+AGSAdditions.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSFeatureSet.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSGraphicsLayer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSGeometry.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSTiledLayer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSDynamicMapServiceLayer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSMapServiceLayerInfo.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSQueryTask.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSGeometryServiceTask.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSGeometryServiceTask+AGSGeometryArray.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSGeometryServiceTask+AreasAndLengths.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSLineSymbol.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSMarkersSymbol.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSFeatureLayer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSUniqueValueRenderer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSGeoprocessor.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSLocator.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(SBJSONParser.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSFindTask.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSIdentifyTask.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSMapServiceInfo.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSAttachmentInfo.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSImageServiceInfo.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSImageServiceLayer.o)
  literal-pointer@_OBJC__cls_refs@NSMutableDictionary in libAGSIPhone.a(AGSFeatureLayerModeModule.o)
 "_OBJC_CLASS_$_AGSTiledMapServiceLayer", referenced from:
  objc-class-ref-to-AGSTiledMapServiceLayer in iLenexaAppDelegate.o
  objc-class-ref-to-AGSTiledMapServiceLayer in iLenexaAppDelegate.o
 ".objc_class_name_NSMutableSet", referenced from:
  literal-pointer@_OBJC__cls_refs@NSMutableSet in libAGSIPhone.a(AGSTiledLayerView.o)
 ".objc_class_name_NSThread", referenced from:
  literal-pointer@_OBJC__cls_refs@NSThread in libAGSIPhone.a(AGSRequestOperation.o)
 ".objc_class_name_CALayer", referenced from:
  literal-pointer@_OBJC__cls_refs@CALayer in libAGSIPhone.a(AGSTiledLayerView.o)
  literal-pointer@_OBJC__cls_refs@CALayer in libAGSIPhone.a(AGSGPS.o)
 ".objc_class_name_NSMutableData", referenced from:
  literal-pointer@_OBJC__cls_refs@NSMutableData in libAGSIPhone.a(AGSRequestOperation.o)
  literal-pointer@_OBJC__cls_refs@NSMutableData in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
 ".objc_class_name_NSInvocation", referenced from:
  literal-pointer@_OBJC__cls_refs@NSInvocation in libAGSIPhone.a(AGSRequestOperation.o)
  literal-pointer@_OBJC__cls_refs@NSInvocation in libAGSIPhone.a(AGSFeatureLayerModeModule.o)
  literal-pointer@_OBJC__cls_refs@NSInvocation in libAGSIPhone.a(AGSTiledGraphicsLayer.o)
 ".objc_class_name_NSTimer", referenced from:
  literal-pointer@_OBJC__cls_refs@NSTimer in libAGSIPhone.a(AGSGeoprocessor.o)
 ".objc_class_name_NSOperation", referenced from:
  .objc_class_name_AGSRequestOperation in libAGSIPhone.a(AGSRequestOperation.o)
  .objc_class_name_AGSGraphicsLayerDrawingOperation in libAGSIPhone.a(AGSGraphicsLayer.o)
  .objc_class_name_FeatureLayerClientQueryOperation in libAGSIPhone.a(AGSFeatureLayerModeModule.o)
  .objc_class_name_AGSTiledGraphicsLayerDrawingOperation in libAGSIPhone.a(AGSTiledGraphicsLayer.o)
 ".objc_class_name_NSDecimalNumber", referenced from:
  literal-pointer@_OBJC__cls_refs@NSDecimalNumber in libAGSIPhone.a(SBJSONParser.o)
 ".objc_class_name_NSValue", referenced from:
  literal-pointer@_OBJC__cls_refs@NSValue in libAGSIPhone.a(AGSMapView.o)
  literal-pointer@_OBJC__cls_refs@NSValue in libAGSIPhone.a(AGSGPS.o)
  literal-pointer@_OBJC__cls_refs@NSValue in libAGSIPhone.a(AGSGeoprocessor+GPPParameterValue.o)
```

literal-pointer@_OBJC@_cls_refs@NSValue in libAGSIPhone.a(AGSFeatureLayerModule.o)
".objc_class_name_NSMutableURLRequest", referenced from:
literal-pointer@_OBJC@_cls_refs@NSMutableURLRequest in libAGSIPhone.a(AGSRequest.o)
literal-pointer@_OBJC@_cls_refs@NSMutableURLRequest in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
".objc_class_name_CAMediaTimingFunction", referenced from:
literal-pointer@_OBJC@_cls_refs@CAMediaTimingFunction in libAGSIPhone.a(AGSCallout.o)
literal-pointer@_OBJC@_cls_refs@CAMediaTimingFunction in libAGSIPhone.a(AGSTiledLayerView.o)
literal-pointer@_OBJC@_cls_refs@CAMediaTimingFunction in libAGSIPhone.a(AGSGPS.o)
".objc_class_name_UIFont", referenced from:
literal-pointer@_OBJC@_cls_refs@UIFont in libAGSIPhone.a(AGSCallout.o)
".objc_class_name UIColor", referenced from:
literal-pointer@_OBJC@_cls_refs@UIColor in libAGSIPhone.a(AGSCallout.o)
literal-pointer@_OBJC@_cls_refs@UIColor in libAGSIPhone.a(AGSTiledLayerView.o)
literal-pointer@_OBJC@_cls_refs@UIColor in libAGSIPhone.a(AGSFillSymbol.o)
literal-pointer@_OBJC@_cls_refs@UIColor in libAGSIPhone.a(AGSLineStyle.o)
literal-pointer@_OBJC@_cls_refs@UIColor in libAGSIPhone.a(AGSMarkerSymbol.o)
".objc_class_name_UIApplication", referenced from:
literal-pointer@_OBJC@_cls_refs@UIApplication in libAGSIPhone.a(AGSMapView.o)
".objc_class_name_NSNumber", referenced from:
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSMapView.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSCallout.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSGPS.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSEnvelope.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSGeometry.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSMultiPoint.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSPoint.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSPolygon.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSPolyline.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSTiledLayer.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSDynamicMapServiceLayer.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSMapServiceLayerInfo.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSQueryTask.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSGeometryServiceTask.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSGeometryServiceTask+AGSGeometryArray.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSGeometryServiceTask+AGSLineLengths.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSLineStyleSymbol.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSMarkerSymbol.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSFeatureLayer.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(UIColor+AGSCoding.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSGeoprocessor.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSLocator.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(SBJsonParser.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(SBJsonWriter.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSFindTask.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSIdentifyTask.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSGeoprocessor+GPPParameterValue.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSBingMapLayer.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSEditResult.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSAttachmentInfo.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSImageServiceInfo.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSImageServiceLayer.o)
literal-pointer@_OBJC@_cls_refs@NSNumber in libAGSIPhone.a(AGSFeatureLayerModule.o)
".objc_class_name_UIImageView", referenced from:
".objc_class_name_AGSDynamicLayerView in libAGSIPhone.a(AGSDynamicLayerView.o)
".objc_exception_try_enter", referenced from:
-[AGSMapView setEnvelope:] in libAGSIPhone.a(AGSMapView.o)
-[AGSMapView layerDidLoadHandler:] in libAGSIPhone.a(AGSMapView.o)
-[AGSTiledLayerView blankImage] in libAGSIPhone.a(AGSTiledLayerView.o)
".objc_class_name_NSURLConnection", referenced from:
literal-pointer@_OBJC@_cls_refs@NSURLConnection in libAGSIPhone.a(AGSRequest.o)
literal-pointer@_OBJC@_cls_refs@NSURLConnection in libAGSIPhone.a(AGSRequestOperation.o)
".objc_class_name_CATransaction", referenced from:
literal-pointer@_OBJC@_cls_refs@CATransaction in libAGSIPhone.a(AGSTiledLayerView.o)
".objc_class_name_UIScrollView", referenced from:
".objc_class_name_AGSMapView in libAGSIPhone.a(AGSMapView.o)
".objc_class_name_NSDateFormatter", referenced from:
literal-pointer@_OBJC@_cls_refs@NSDateFormatter in libAGSIPhone.a(AGSGeoprocessor+GPPParameterValue.o)
".objc_class_name_CABasicAnimation", referenced from:
literal-pointer@_OBJC@_cls_refs@CABasicAnimation in libAGSIPhone.a(AGSCallout.o)
literal-pointer@_OBJC@_cls_refs@CABasicAnimation in libAGSIPhone.a(AGSTiledLayerView.o)
literal-pointer@_OBJC@_cls_refs@CABasicAnimation in libAGSIPhone.a(AGSGPS.o)
"_OBJC_CLASS_\$_AGSDynamicMapServiceLayer", referenced from:
".objc_class_ref_to_AGSDynamicMapServiceLayer in libAGSIPhone.a(AGSMapView.o)
".objc_class_name_NSArray", referenced from:
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSCallout.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSTiledLayerView.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(NSDictionary+AGSAdditions.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSGeometry.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSMultiPoint.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSPolygon.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSPolyline.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSDynamicMapServiceLayer.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSQueryTask.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSGeometryServiceTask.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSFillSymbol.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSLineStyle.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSMarkerSymbol.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSFeatureLayer.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(UIColor+AGSCoding.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(SBJsonParser.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(SBJsonWriter.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSIdentifyTask.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSGeoprocessor+GMessage.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSGeoprocessor+GPPParameterValue.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSOpenStreetMapLayer.o)
literal-pointer@_OBJC@_cls_refs@NSArray in libAGSIPhone.a(AGSBingMapLayer.o)
".objc_class_name_UIView", referenced from:
literal-pointer@_OBJC@_cls_refs@UIView in libAGSIPhone.a(AGSMapView.o)
".objc_class_name_AGSCallout in libAGSIPhone.a(AGSCallout.o)
".objc_class_name_AGSTiledLayerView in libAGSIPhone.a(AGSTiledLayerView.o)
".objc_class_name_AGSGPS in libAGSIPhone.a(AGSGPS.o)
".objc_class_name_NSMutableCharacterSet", referenced from:
literal-pointer@_OBJC@_cls_refs@NSMutableCharacterSet in libAGSIPhone.a(SBJsonWriter.o)
".objc_class_name_CAAAnimationGroup", referenced from:
literal-pointer@_OBJC@_cls_refs@CAAnimationGroup in libAGSIPhone.a(AGSCallout.o)
".objc_class_name_NSAssertionHandler", referenced from:
literal-pointer@_OBJC@_cls_refs@NSAssertionHandler in libAGSIPhone.a(SBJsonParser.o)
".objc_class_name_NSFileManager", referenced from:
literal-pointer@_OBJC@_cls_refs@NSFileManager in libAGSIPhone.a(AGSTiledMapServiceLayer.o)
literal-pointer@_OBJC@_cls_refs@NSFileManager in libAGSIPhone.a(AGSTiledRequestOperation.o)
literal-pointer@_OBJC@_cls_refs@NSFileManager in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
".objc_class_name_NSData", referenced from:
literal-pointer@_OBJC@_cls_refs@NSData in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
".objc_exception_try_exit", referenced from:
-[AGSMapView setEnvelope:] in libAGSIPhone.a(AGSMapView.o)
-[AGSMapView layerDidLoadHandler:] in libAGSIPhone.a(AGSMapView.o)
-[AGSTiledLayerView blankImage] in libAGSIPhone.a(AGSTiledLayerView.o)
".objc_class_name_NSMutableString", referenced from:
literal-pointer@_OBJC@_cls_refs@NSMutableString in libAGSIPhone.a(AGSRequest.o)

```
literal-pointer@_OBJC@_cls_refs@NSMutableString in libAGSIPhone.a(SBJSONParser.o)
literal-pointer@_OBJC@_cls_refs@NSMutableString in libAGSIPhone.a(SBJSONWriter.o)
literal-pointer@_OBJC@_cls_refs@NSMutableString in libAGSIPhone.a(AGSBingMapLayer.o)
".objc_class_name_NSDictionary", referenced from:
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(NSDictionary+AGSAdditions.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSEnvelope.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSGeometry.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSMultiPoint.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSPoint.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSPolygon.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSPolyline.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSTiledLayer.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSDynamicMapServiceLayer.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSTiledMapServiceLayer.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSCodingRequestOperation.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSJSONRequestOperation.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSTileRequestOperation.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSGeometryServiceTask.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSGeometryServiceTask+AGSGeometryArray.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSFillSymbol.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSMarkerSymbol.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSFeatureLayer.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSGeoprocessor.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSLocator.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(SBJSONBase.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(SBJSONParser.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(SBJSONWriter.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSFindTask.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSIdentifyTask.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSGeoprocessor+GPMessage.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSGeoprocessor+GPParameterValue.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSBingMapLayer.o)
  literal-pointer@_OBJC@_cls_refs@NSDictionary in libAGSIPhone.a(AGSImageServiceLayer.o)
".objc_class_name_NSURL", referenced from:
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSProjectionUtility.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSDynamicMapServiceLayer.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSRequest.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSMarkerSymbol.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSFeatureLayer.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSGeoprocessor.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSGeoprocessor+GPParameterValue.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSMapServiceInfo.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSOpenStreetMapLayer.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSBingMapLayer.o)
  literal-pointer@_OBJC@_cls_refs@NSURL in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
".objc_class_name_UIImage", referenced from:
  literal-pointer@_OBJC@_cls_refs@UIImage in libAGSIPhone.a(AGSGPS.o)
  literal-pointer@_OBJC@_cls_refs@UIImage in libAGSIPhone.a(AGSTiledMapServiceLayer.o)
  literal-pointer@_OBJC@_cls_refs@UIImage in libAGSIPhone.a(AGSImageRequestOperation.o)
  literal-pointer@_OBJC@_cls_refs@UIImage in libAGSIPhone.a(AGSTileRequestOperation.o)
  literal-pointer@_OBJC@_cls_refs@UIImage in libAGSIPhone.a(AGSMarkerSymbol.o)
  literal-pointer@_OBJC@_cls_refs@UIImage in libAGSIPhone.a(AGSGraphicsLayer.o)
  literal-pointer@_OBJC@_cls_refs@UIImage in libAGSIPhone.a(AGSOpenStreetMapLayer.o)
  literal-pointer@_OBJC@_cls_refs@UIImage in libAGSIPhone.a(AGSBingMapLayer.o)
  literal-pointer@_OBJC@_cls_refs@UIImage in libAGSIPhone.a(AGSTiledGraphicLayer.o)
".objc_class_name_NSLock", referenced from:
  literal-pointer@_OBJC@_cls_refs@NSLock in libAGSIPhone.a(AGSProjectionUtility.o)
".objc_class_name_NSObject", referenced from:
  literal-pointer@_OBJC@_cls_refs@NSObject in libAGSIPhone.a(AGSMapView.o)
.objc_class_name_AGSGPSAnimationLayerRenderer in libAGSIPhone.a(AGSGPS.o)
.objc_class_name_AGSProjectionUtility in libAGSIPhone.a(AGSProjectionUtility.o)
.objc_class_name_AGSFeatureSet in libAGSIPhone.a(AGSFeatureSet.o)
.objc_class_name_AGSGraphic in libAGSIPhone.a(AGSGraphic.o)
.objc_class_name_AGSGeometry in libAGSIPhone.a(AGSGeometry.o)
.objc_class_name_AGSSpatialReference in libAGSIPhone.a(AGSGeometry.o)
.objc_class_name_AGSLayer in libAGSIPhone.a(AGSLayer.o)
.objc_class_name_AGSTileInfo in libAGSIPhone.a(AGSTiledLayer.o)
.objc_class_name_AGSLD in libAGSIPhone.a(AGSTiledLayer.o)
.objc_class_name_AGSMapServiceLayerInfo in libAGSIPhone.a(AGSMapServiceLayerInfo.o)
.objc_class_name_AGSSymbol in libAGSIPhone.a(AGSSymbol.o)
.objc_class_name_AGSRequest in libAGSIPhone.a(AGSRequest.o)
.objc_class_name_AGSRelationshipQuery in libAGSIPhone.a(AGSQueryTask.o)
.objc_class_name_AGSQuery in libAGSIPhone.a(AGSQueryTask.o)
.objc_class_name_AGSQueryTask in libAGSIPhone.a(AGSQueryTask.o)
.objc_class_name_AGSTileImage in libAGSIPhone.a(AGSTileRequestOperation.o)
.objc_class_name_AGSGeometryServiceTask in libAGSIPhone.a(AGSGeometryServiceTask.o)
.objc_class_name_AGSBufferParameters in libAGSIPhone.a(AGSGeometryServiceTask+AGSGeometryArray.o)
.objc_class_name_AGSField in libAGSIPhone.a(AGSFeatureLayer.o)
.objc_class_name_AGSCodedValue in libAGSIPhone.a(AGSFeatureLayer.o)
.objc_class_name_AGSDomain in libAGSIPhone.a(AGSFeatureLayer.o)
.objc_class_name_AGSFeatureTemplate in libAGSIPhone.a(AGSFeatureLayer.o)
.objc_class_name_AGSRelationship in libAGSIPhone.a(AGSFeatureLayer.o)
.objc_class_name_AGSFeatureType in libAGSIPhone.a(AGSFeatureLayer.o)
.objc_class_name_AGSRenderer in libAGSIPhone.a(AGSRenderer.o)
.objc_class_name_AGSGeoprocessor in libAGSIPhone.a(AGSGeoprocessor.o)
.objc_class_name_AGSTimeInfo in libAGSIPhone.a(AGSTime.o)
.objc_class_name_AGSTimeReference in libAGSIPhone.a(AGSTime.o)
.objc_class_name_AGSTimeExtent in libAGSIPhone.a(AGSTime.o)
.objc_class_name_AGSAddressCandidate in libAGSIPhone.a(AGSLocator.o)
.objc_class_name_AGSLocator in libAGSIPhone.a(AGSLocator.o)
.objc_class_name_SBJSONBase in libAGSIPhone.a(SBJSONBase.o)
.objc_class_name_AGSFindResult in libAGSIPhone.a(AGSFindTask.o)
.objc_class_name_AGSFindParameters in libAGSIPhone.a(AGSFindTask.o)
.objc_class_name_AGSFindTask in libAGSIPhone.a(AGSFindTask.o)
.objc_class_name_AGSIdentifyResult in libAGSIPhone.a(AGSIdentifyTask.o)
.objc_class_name_AGSIdentifyParameters in libAGSIPhone.a(AGSIdentifyTask.o)
.objc_class_name_AGSIdentifyTask in libAGSIPhone.a(AGSIdentifyTask.o)
.objc_class_name_AGSGeoprocessorMessage in libAGSIPhone.a(AGSGeoprocessor+GPMessage.o)
.objc_class_name_AGSGeoprocessorResult in libAGSIPhone.a(AGSGeoprocessor+GPParameterValue.o)
.objc_class_name_AGSGeoprocessorInput in libAGSIPhone.a(AGSGeoprocessor+GPParameterValue.o)
.objc_class_name_AGSGeoprocessorRasterData in libAGSIPhone.a(AGSGeoprocessor+GPParameterValue.o)
.objc_class_name_AGSGeoprocessorLinearUnit in libAGSIPhone.a(AGSGeoprocessor+GPParameterValue.o)
.objc_class_name_AGSGeoprocessorParameterValue in libAGSIPhone.a(AGSGeoprocessor+GPParameterValue.o)
.objc_class_name_AGSClassBreak in libAGSIPhone.a(AGSClassBreakRenderer.o)
.objc_class_name_AGSCalloutTemplate in libAGSIPhone.a(AGSInfoTemplate.o)
.objc_class_name_AGSMapServiceInfo in libAGSIPhone.a(AGSMapServiceInfo.o)
.objc_class_name_AGSBingMapLayerMetadata in libAGSIPhone.a(AGSBingMapLayer.o)
.objc_class_name_AGSEditResult in libAGSIPhone.a(AGSEditResult.o)
.objc_class_name_AGSEditResultError in libAGSIPhone.a(AGSEditResult.o)
.objc_class_name_AGSFeatureLayerAttachmentResults in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
.objc_class_name_AGSFeatureLayerEditResults in libAGSIPhone.a(AGSFeatureLayer+Editing.o)
.objc_class_name_AGSAttachmentInfo in libAGSIPhone.a(AGSAttachmentInfo.o)
.objc_class_name_AGSImageServiceInfo in libAGSIPhone.a(AGSImageServiceInfo.o)
.objc_class_name_JSONUtility in libAGSIPhone.a(JSONUtility.o)
.objc_class_name_AGSFeatureLayerModeModule in libAGSIPhone.a(AGSFeatureLayerModeModule.o)
".objc_class_name_UILabel", referenced from:
  literal-pointer@_OBJC@_cls_refs@UILabel in libAGSIPhone.a(AGSCallout.o)
".objc_exception_extract", referenced from:
  [-AGSMapView setEnvelope:] in libAGSIPhone.a(AGSMapView.o)
  [-AGSMapView layerDidLoadHandler:] in libAGSIPhone.a(AGSMapView.o)
```

```

-[AGSTiledLayerView blankImage] in libAGSiPhone.a(AGSTiledLayerView.o)
".objc_class_name_NSError", referenced from:
  literal-pointer@__OBJC@_cls_refs@NSError in libAGSiPhone.a(AGSCodingRequestOperation.o)
  literal-pointer@__OBJC@_cls_refs@NSError in libAGSiPhone.a(AGSJSONRequestOperation.o)
  literal-pointer@__OBJC@_cls_refs@NSError in libAGSiPhone.a(AGSRequestOperation.o)
  literal-pointer@__OBJC@_cls_refs@NSError in libAGSiPhone.a(AGSTileRequestOperation.o)
  .objc_class_name_AGSTileError in libAGSiPhone.a(AGSTileRequestOperation.o)
  literal-pointer@__OBJC@_cls_refs@NSError in libAGSiPhone.a(AGSGeometryServiceTask+AGSGeometryArray.o)
  literal-pointer@__OBJC@_cls_refs@NSError in libAGSiPhone.a(SBJSONBase.o)
".objc_class_name_NSOperationQueue", referenced from:
  literal-pointer@__OBJC@_cls_refs@NSOperationQueue in libAGSiPhone.a(AGSTiledLayer.o)
  literal-pointer@__OBJC@_cls_refs@NSOperationQueue in libAGSiPhone.a(AGSRequestOperation.o)
  literal-pointer@__OBJC@_cls_refs@NSOperationQueue in libAGSiPhone.a(AGSGraphicsLayer.o)
".objc_class_name_NSString", referenced from:
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSTiledLayerView.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(NSDictionary+AGSAdditions.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSFeatureSet.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSGraphic.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSEnvelope.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSGeometry.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSMultiPoint.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSPoint.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSPolygon.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSPolyline.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSDynamicMapServiceLayer.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSTiledMapServiceLayer.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSCodingRequestOperation.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSJSONRequestOperation.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSTileRequestOperation.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSGeometryServiceTask+AGSGeometryArray.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSMarkerSymbol.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSFeatureLayer.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSGeoprocessor.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSLocator.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(SBJSONParser.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(SBJSONWriter.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSIdentifyTask.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSMapServiceInfo.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSOpenStreetMapLayer.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSBingMapLayer.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSFeatureLayer+Editing.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSImageServiceLayer.o)
  literal-pointer@__OBJC@_cls_refs@NSString in libAGSiPhone.a(AGSFeatureLayerModule.o)
".objc_class_name_NSInvocationOperation", referenced from:
  literal-pointer@__OBJC@_cls_refs@NSInvocationOperation in libAGSiPhone.a(AGSTileRequestOperation.o)
".objc_class_name_NSNull", referenced from:
  literal-pointer@__OBJC@_cls_refs@NSNull in libAGSiPhone.a(AGSGPS.o)
  literal-pointer@__OBJC@_cls_refs@NSNull in libAGSiPhone.a(AGSMarkerSymbol.o)
  literal-pointer@__OBJC@_cls_refs@NSNull in libAGSiPhone.a(SBJSONParser.o)
  literal-pointer@__OBJC@_cls_refs@NSNull in libAGSiPhone.a(SBJSONWriter.o)
  literal-pointer@__OBJC@_cls_refs@NSNull in libAGSiPhone.a(JSONUtility.o)
ld: symbol(s) not found
collect2: ld returned 1 exit status

```