

- BUG-000082853 Can't Close Model Window for in-panel widgets on Tablets.
- BUG-000083472 The order of the custom widgets does not follow RTL direction under Widgets tab.
- BUG-000083474 The hover text of data on charts does not follow RTL directions on Chart Widget.
- BUG-000083872 When drawing a feature set, as an input to a geoprocessing service, the "Extent" geometry leads to error.
- BUG-000084072 There is no option to upload a file within the geoprocessing widget when a geoprocessing task has been configured with upload capability in the Web AppBuilder.
- BUG-000084287 The output feature layer added to the map from the GP widget always gets listed at the top in the Layer List widget.
- BUG-000084291 Geoprocessing widget, the first draw of the input feature draws the feature at the top of all the layers no matter what the layer order is in the GP widget settings.
- BUG-000084323 There is no option to upload a file within the geoprocessing widget when a geoprocessing task has been configured with upload capability in Web AppBuilder.
- BUG-000084357 Error "Data not available! Click [Refresh] button to try again." returned when clicking attribute table in Web AppBuilder app of some services which are turned off.
- BUG-000084491 On a mobile device with a relatively small screen size (e.g. iphone 4), the Web AppBuilder edit widget template picker will not display all options of the feature template. The user needs to tap the edge of the template picker when attempting to pick another feature type that is not listed.
- BUG-000084541 Adding a zipped shapefile directly to a map to create a web app using Web AppBuilder creates sub layer in web app's layer list.
- BUG-000084763 After updating web map, Attribute Widget in Web AppBuilder does not recognize a new feature's attribute tables.
- BUG-000084834 If a layer is added to a map in the Web AppBuilder before the attribute table is opened, an undefined error will occur in the attribute table when the layer is removed.
- BUG-000085134 Layer name changed for a layer in the web map added using a shapefile is not reflected in the Web AppBuilder.
- BUG-000085190 The contents of the Results Ordering tab in the query widget editor window will reset to the default order after closing and reopening the query editor in Web AppBuilder.
- BUG-000085195 Unable to view the attribute table for a second layer added to an existing Web AppBuilder application.
- BUG-000085292 Attribute table in Web AppBuilder will not open if a custom basemap with County System coordinate is used.
- BUG-000085525 The prompt information "At least one item must be selected" is not localized on the Extract Data.
- BUG-000085534 The number "x/22" does not follow the local RTL habit on the Analysis Configure dialog.
- BUG-000085537 The contents is cutoff after click "Run Analysis" button in the Extract Data tool on the Analysis panel.
- BUG-000085551 Grouped symbologies are duplicated when viewed in the "Layer List" in Web AppBuilder.
- BUG-000085839 Query Widget in Web AppBuilder does not maintain the 'Special Type' when configuring the 'Results Setting' in the query.
- BUG-000085866 The "Move down" is better to be disabled if there is only one layer.
- BUG-000086159 An application built with Web AppBuilder does not track your location when consumed on a mobile device.
- BUG-000086257 Edit Widget of WAB apps fail to display feature templates in some browsers/machines.
- BUG-000086292 The string is overlapped on Set Configurable Parameter dialog when the length of the app title is too long
- BUG-000086294 The SaveAs button is not localized under Save dropdownlist.



- BUG-000086536 Query Widget in Web AppBuilder does not respect changes made to the alias when configuring the Results Setting in the query.
- BUG-000086625 After running the Analysis Widget (Extract Data) within a web app created by the Web AppBuilder, the widget panel continues to display "Loading..." after the extracted file has been generated.
- BUG-000086702 The Attribute Table widget in Web AppBuilder does not display coded domain attribute values if that field is used to symbolize the layer when published from ArcMap.
- BUG-000087113 In Web AppBuilder in IOS, using the my location widget, the highlighted location displays when the my location button is selected. If the button is selected a second time, the highlighted point jumps to a new location and continues to jump to new locations each time the button is selected as if tracking is on but the device is not moving.
- BUG-000087122 Unable to click OK button on dialog box.
- BUG-000087135 Web AppBuilder applications fail to load secured services in web maps that do not have credentials stored. No prompt is given for credentials, the layer simply fails to load and a HTTP 498 response is returned from the request for the layer.
- BUG-000087136 Web AppBuilder Developer edition applications fail to load secured services in web maps that do not have credentials stored when the application is hosted on the same web server both Server and Portal for ArcGIS web adaptors are installed on. No prompt is given for credentials, simply the layer fails to load and a HTTP 498 response is returned from the request for the layer.
- BUG-000087278 In an application built using the Web AppBuilder, when the results of a query are added to the map as an operational layer all of its fields are displayed in the attribute table regardless of which fields are specified in the query result or the attribute table widget.
- BUG-000087466 Attribute Widget does not display the correct table name in Web AppBuilder when clicking on 'Show Related Records'.
- BUG-000087622 Coded value domain codes (instead of descriptions) are shown within Web AppBuilder's query widget and the attribute table for ArcGIS Server services.
- BUG-000087641 Accessing a Web AppBuilder app when logged into an account that does not have access to the app results in a blank screen with no error.
- BUG-000087866 When a map service is added to a web map with layers checked off and shared as a Web AppBuilder application it will show the map service preview by just checking the group layer even though the sublayers are turned off.
- BUG-000088587 The Show Related Records button accessed within a popup in Web AppBuilder opens the attribute table for the primary table first instead of directly opening the attribute table for the related records. A subsequent click for Show Related Records opens the related table.
- BUG-000088784 Widget "openAtStart" property set in config.json file is not honored when using in-panel widget in Tab theme.
- BUG-000088914 Web AppBuilder for ArcGIS (Developer Edition) application returns "Unable to access Authentication Service" when attempting to sign-in to access an ArcGIS Online secured web map item on Internet Explorer 9 (IE9).
- BUG-000089061 Enabling labels causes applications built with Web AppBuilder (Developer Edition) to malfunction.

- ENH-000081680 Need to add ability to turn My Location off - Also need visual indicator around My Location to show.
- ENH-000083419 Allow the create features editing window in the Web AppBuilder to be minimized while editing.
- ENH-000084185 Include the Finder widget Web AppBuilder.
- ENH-000084283 In Web AppBuilder geoprocessing widget, the output feature layer should be listed at the top by default in the layer order list.
- ENH-000084678 Geocoding widget in Web AppBuilder should use the 'suggest' method from the World Geocoding service rather than the 'findAddressCandidates' method from the World Geocoding service.



- ENH-000085050 Web AppBuilder Splash Widget, provide the option that user can disable "Do Not Show this splash screen again".
- ENH-000085138 Geocoding widget in Web AppBuilder to use suggest operation like in other Javascript templates.
- ENH-000085151 In Web AppBuilder, there should be a checkbox to switch off the context menu of the layer in the layer list and also an option to choose which items to be showed in the menu.
- ENH-000085293 The "X" icon and "Search" icon is overlapped on the Choose Web Map dialog.
- ENH-000085863 Allow results from the Query widget to be sorted by a specified field.
- ENH-000086354 Please add filter or Search capability for Attribute Table Widget in Web AppBuilder
- ENH-000086558 Option to configure Web AppBuilder Widget behaviour/appearance.
- ENH-000087123 Sample code given in the documentation is syntactically different from the actual code in init.js file for Web AppBuilder for ArcGIS Developers Edition 1.1.
- ENH-000087824 The sample code for configuring the sample code at dojoConfig in the init.js file for adding an AMD package is syntactically different from the actual code in the init.js file for WAB app.