

Web AppBuilder for ArcGIS Developer Edition v1.3 – List of Issues Addressed

- BUG-000082559 The Geoprocessing widget panel is blank when there is no result returned.
- BUG-000082794 An attribute table containing Japanese Characters present in the map viewer is visible but appears empty after sharing the map as a web app using Web AppBuilder.
- BUG-000082833 The radio button on Print pane is mis-aligned.
- BUG-000083366 Web AppBuilder Attribute Table widget does not reflect changes to schema if layer is ArcGIS for Server feature service added to ArcGIS Online.
- BUG-000083574 The close ("X") button for the Edit window in Web AppBuilder does not work when using iPads.
- BUG-000083964 An application built in Web AppBuilder for ArcGIS with the Edit widget allows users to edit labels (for example, move labels, change label color, make labels larger or smaller, etc.) but edits are not saved.
- BUG-000084232 The Edit widget in web app created using Web AppBuilder for ArcGIS Online fails to bring up the editing template in Google Chrome at 90% browser zoom extent.
- BUG-000084623 Web AppBuilder logo does not display in Firefox when using a UNC path.
- BUG-000084950 Showing the coordinates in Web AppBuilder through the Safari web browser on an iPhone does not work as it does on an Android device. At the bottom of the screen on the iOS device, you will see 'Move the mouse to get the coordinates', but after a click on the map this does not happen, while on an Android device it does show the coordinates this way.
- BUG-000084996 ArcGIS Web AppBuilder attribute table loads slowly when launched in IE.
- BUG-000085262 Some titles of the widget such as Attribute Table/My Location/ Home Button is cutoff when title is too long.
- BUG-000085263 Text alignment with radio button
- BUG-000085264 The "Show" option on Attribute Table widget does not work.
- BUG-000085541 The frame for map viewer is unfixed when navigate the Vertical bar for Swipe widget.
- BUG-000086107 Erroneous behaviour in the output table of a geoprocessing service of the Web AppBuilder.
- BUG-000086498 Polygons with No fill symbols do not appear on PDF printed out using the Print widget from Web AppBuilder.
- BUG-000086599 The ampersand symbol entered in the Placeholder Text for the Configure GeoCoder dialog does not display correctly in Web AppBuilder.
- BUG-000086821 When editing features in the Web AppBuilder the edit feature attribute dialog box displays fields which have been disabled from the configure pop-up option in a web map.
- BUG-000087276 Please modify the documentation help about Open Saved Map in Web AppBuilder for ArcGIS (Developers Edition)
- BUG-000087319 When exporting a CSV from Web AppBuilder using the Export to CSV option in Internet Explorer, the output places all data into a single field whereas it does not when this action is performed using Google Chrome.
- BUG-000087620 In the ArcGIS Online Web AppBuilder, attribute sorting is not possible for ArcGIS Server Services when the number of features is above the "Maximum Number of Records Returned by Server" parameter, even though Advanced Querying is set to true for the layer.
- BUG-000087657 Layer titles in the Edit widget in a Web AppBuilder application cannot be modified and do not reflect changes in the web map.
- BUG-000087830 Web AppBuilder for ArcGIS Developers Edition does not allow anonymous access to an application when Portal for ArcGIS is configured with Integrated Windows Authentication (IWA). The web maps configured with the application are shared with everyone in Portal for ArcGIS.
- BUG-000087919 Please update the help documentation of the Query widget of Web AppBuilder 1.1 to display the title in the content of the popup instead of the title/blue pane.



- BUG-000088303 The Editor widget returns error when used with Tab theme of Web AppBuilder.
- BUG-000088317 The 'Center Map' and 'Define Extent' URL parameters are not honored when using projections other than Web Mercator in Web AppBuilder.
- BUG-000088337 Incorrect symbology are shown when editing with the Editor widget in Web AppBuilder Developer Edition.
- BUG-000088685 Inconsistent request URL when using proxy with Web AppBuilder Developer Edition
- BUG-000089270 Coded domain values appear in pop up instead of the domain description when using a configured search widget in ArcGIS Online Web AppBuilder.
- BUG-000089370 The Chart widget in Web AppBuilder displays incorrect sum of attribute values when multiple fields are selected.
- BUG-000089885 Field name is missing when creating multiple related records relations in one web application
- BUG-000090121 When using Web AppBuilder for Developers 1.2 with Portal and Server 10.3.1 both secured with integrated windows authentication, on separate machines, and not federated, a query from the query widget with a response number of features over a certain size will fail with 401 unauthorized as it switched the GET request to a POST request and it is passed through the proxy. The failure is due to the fact that this request is passed through the proxy and the proxy cannot authenticate against the ArcGIS Server secured at the web tier with IWA.
- BUG-000090214 When using the Web AppBuilder for Developers 1.2 in the Japanese environment, some elements are not localized.
- BUG-000090219 The Chart widget in Web AppBuilder does not produce a chart when the service is comprised of an XY event layer containing a join.
- BUG-000090250 When using the Measurement widget in an application built with Web AppBuilder for ArcGIS (Developer Edition) that uses the Box theme, clicking on the map causes the InfoWindow to appear.
- BUG-000090278 In an application built with Web AppBuilder for ArcGIS (Developer Edition) 1.2, when using the Dart theme, the Coordinate and Scalebar widgets are displayed on top of the splash screen.
- BUG-000090322 Time slider fails to load when the 'open at start' function is enabled for the Time Slider widget in Web AppBuilder Developer Edition.
- BUG-000090325 Web AppBuilder Application header links not clearly visible when color theme is black.
- BUG-000090375 When using an application built with the Web AppBuilder for Developers Edition 1.2 in a Japanese environment the Incident Analysis widget is not fully localized.
- BUG-000090472 The button to enable or disable the Coordinate widget disappears when the Coordinate widget is configured with a datum transformation.
- BUG-000090519 In ArcGIS Online Web AppBuilder, web map Inherited bookmarks become deletable after adding thumbnails.
- BUG-000090543 In Web AppBuilder, renaming web map Inherited bookmarks (with or without thumbnails) will actually create two new thumbnail-free bookmarks, besides the original map inherited.
- BUG-000090544 In Web Appbuilder, if bookmarks are deleted and reopened using the Bookmark widget, the bookmarks return.
- BUG-000090639 Launchpad theme does not clear results on map after closing some widgets on Web AppBuilder 1.2 Developer Edition when the widget is in the Anchor Bar Controller.
- BUG-000090646 Web AppBuilder for ArcGIS Developer Edition 1.2 does not allow to change the web map for an existing app if the previously consumed web map is deleted from My Contents of ArcGIS Online or Portal for ArcGIS.
- BUG-000090665 In an ArcGIS Web AppBuilder application, the suggested results for the Find Address bar are above the bar and hidden from view when viewed on a mobile device or tablet.
- BUG-000090679 The Search widget in Web AppBuilder improperly calculates direction of the layer list expansion when changing orientation. Instead of opening downwards, the layer pick expands up and off the screen.
- BUG-000090681 In Web AppBuilder Attribute Table widget, related tables do not display as expected when the visibility of the Object ID field has been turned off in the related table.



- BUG-000090707 In Web AppBuilder 1.2, the current color of the Foldable theme is not applied to widgets placed in the floating pane.
 - BUG-000090746 Print widget documentation for the Web AppBuilder does not specify what the URL structure should look like when adding in the print service.
 - BUG-000090820 The Layer List widget in Web AppBuilder fails to list the layers for an ArcGIS Server service containing a group layer with a custom numeric ID in double digit.
 - BUG-000090841 In Web AppBuilder, after using the search widget to find a location, features can no longer be added.
 - BUG-000090844 When editing a Web AppBuilder application, unable to see fields with short integer data type in the Add Summary field menu of the Summary widget configuration menu.
 - BUG-000090898 When using the Launchpad theme of Web AppBuilder (developer edition), adding the edit widget to the anchor bar controller causes subsequent feature identification of the editable layer to always be brought up in an editing dialog after the edit widget has been opened and closed.
 - BUG-000090994 After updating a web map, the Attribute Table widget in Web AppBuilder is not updated.
 - BUG-000091016 The Incident Analysis widget in Web AppBuilder does not create a buffer for proximity analysis when a British National Grid basemap is present.
 - BUG-000091046 In Web AppBuilder, the Show/Hide field configuration in the Attribute Table widget for the related table is not honored when clicking the 'Show Related Records' option from a pop-up.
 - BUG-000091112 In Web AppBuilder, toggling between the Theme and Edit widget tabs will turn off the ability to click on a feature to edit its attributes.
 - BUG-000091176 A blank page appears rather than "You do not have permission to access this resource" error message when accessing an application built using the Web AppBuilder hosted in Portal for ArcGIS when the user does not have permissions to the application.
 - BUG-000091198 When editing in Web AppBuilder, after a location search and selecting a feature, the editable popup does not display, only the location window.
 - BUG-000091202 Error when adding Analysis widget in Web AppBuilder with language settings set to German-Deutsch.
 - BUG-000091252 Edit widget in Web AppBuilder does not recognize schema change to hosted feature services.
 - BUG-000091293 When using the Query widget in Web AppBuilder in ArcGIS Online, the date value is displayed as an epoch value in the Result Item Title text box.
 - BUG-000091300 When using the Incident Analysis widget in an application built using Web AppBuilder, the feature layer disappears after switching tabs.
 - BUG-000091365 The Edit widget in the Tab theme stops working inside the SideBar Controller when toggled between Swipe widget.
 - BUG-000091429 Mobile View preview for Web AppBuilder Launchpad Theme in IE11 does not display widget
 - BUG-000091454 The Incident Analysis widget in Web AppBuilder displays dates as an epoch.
 - BUG-000091504 Sign-in fails for Enrich layer Analysis widget in Web AppBuilder, if ArcGIS Organization URL contains "dev".
 - BUG-000091549 In the Launchpad Theme for Web AppBuilder, the Scalebar widget overlaps the Coordinate widget if the Unit type of the scalebar is set to dual.
 - BUG-000091597 Templates from the Edit widget do not load after the Editor is closed and reopened once when using the Launchpad theme in Web AppBuilder (Developer Edition).
 - BUG-000092139 The Summary widget in Web AppBuilder may return values over the actual number of features in the service.
-
- ENH-000082597 Ability to configure the mouse 'tool tip' for the Chart widget in Web AppBuilder.
 - ENH-000082608 Allow the ability to disable the Location flag that pops up after a location is entered in the search bar.



- ENH-000083432 Provide a 'Close' button on the attribute editor window in the Web AppBuilder.
- ENH-000085773 In a web app created from Web AppBuilder, update the point symbology with the template data immediately so the user is aware that the point is added correctly.
- ENH-000085884 When a layer is configured for pop ups in map viewer, and loaded into Web AppBuilder to be used with the Edit widget, all of the fields are visible when the layer is being edited, not just those configured in the pop up.
- ENH-000085942 Provide an ability to show or hide fields in Edit widget of Web AppBuilder application or inherit the settings from the associated web map.
- ENH-000085989 In Web AppBuilder apps when users double click a point feature in the attribute table, it does not zoom in the same way double clicking a polygon feature does. User would like the option for the point layer to zoom closer to his features, rather than pan to center it.
- ENH-000087388 When consuming an ArcGIS Online web map with labels enabled, add the ability to hide or rename the 'labels' layer that shows up in the layer list widget of Web AppBuilder
- ENH-000087520 Allow Web AppBuilder to use more than one widget at a time.
- ENH-000087656 Need editor trace tool for polygon feature like freehand polygon, freehand polyline, Rectangle, Circle etc in Edit widget of Web AppBuilder.
- ENH-000087911 Allow Web AppBuilder Query widget to search related tables
- ENH-000088359 Allow user to configure the Editing pop-up for the Edit widget in Web AppBuilder
- ENH-000088700 The order of the instructions on setting up Web AppBuilder SDK is confusing on this page: <https://developers.arcgis.com/web-appbuilder/guide/getstarted.htm>
- ENH-000089034 Turn the "Add destinations by clicking on the map" button on by default in the Directions widget of the Web AppBuilder.
- ENH-000089062 In Web AppBuilder Search widget, allow the app's author to constrain search within map.
- ENH-000089689 Allow the ability to Add Point through a marker symbol when using URL Parameters with Web AppBuilder in ArcGIS Online, similar to the Map Viewer.
- ENH-000089785 Make Use URL parameters: find location or feature to open map capability available in Web AppBuilder.
- ENH-000090129 Allow for Web AppBuilder applications to run from an ASP.NET master page
- ENH-000090653 Use a more contrasting color than teal-green for the circle used to toggle automatic opening with certain Web AppBuilder widgets.
- ENH-000091408 Request to remove drop down icons beside each layer in the app once the options of the configure Layer list widget have been disabled in a Web AppBuilder application