



14 March 2011

Mapping & GIS Product Compatibility List

This document outlines the compatibility between Trimble® Mapping & GIS field devices, versions of Trimble field software, versions of Trimble Office software, and Microsoft® Windows® and Windows Mobile® operating systems. As Trimble releases new hardware products or new versions of software, this document is updated.

The Mapping & GIS product compatibility list is broken down into the following categories:

- Microsoft Operation Systems Field device / field software: Office software
- Office software—versions of the Windows operating system
- Data Transfer utility
- Microsoft ActiveSync technology
- Windows Mobile Device Center for the Windows Vista operating system
- TerraSync software
- GPS Analyst extension for Esri ArcGIS Desktop software
- GPSCorrect extension for Esri ArcPad software
- Municipal Reporter system
- TDL 3G Connector software
- GeoBeacon Controller software
- GeoBeacon Controller software—versions of Windows operating system: Field computers
- GPS Pathfinder Controller software and GPS Controller software
- TrimPix Pro software
- TrimPix technology
- Asset Surveyor software
- ASPEN software
- TRS software
- GPS Pathfinder Tools SDK software
- GPS Pathfinder Field Toolkit

This document is for informational purposes only and is not a legally binding agreement or offer. Trimble makes no warranties and assumes no obligations or liabilities hereunder.

Trimble Navigation Limited, 10355 Westmoor Drive, Suite #100, Westminster, CO 80021, USA

© 2011, Trimble Navigation Limited. All rights reserved. Trimble, the Globe & Triangle logo, ASPEN, Asset Surveyor, GeoExplorer, GPS Pathfinder, Juno, Nomad, Recon, TSC2, and Yuma are trademarks of Trimble Navigation Limited registered in the United States and in other countries. DeltaPhase, GeoBeacon, GeoXH, GeoXT, GPS Analyst, GPSCorrect, H-Star, Municipal Reporter, ProXH, ProXT, Ranger, TDC1, TDC2, TerraSync, Trimble Geomatics Office, Trimble Survey Controller, TrimPix, TRS, and TSCe are trademarks of Trimble Navigation Limited. Microsoft, ActiveSync, Windows, Windows Mobile, Windows NT, and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.



Microsoft Operation Systems Field device / field software: Office software

Note – If not otherwise noted, the following Service Packs are required for compatibility, as noted in the table below:

Windows XP | Service Pack 3

Windows Vista | Service Pack 2

Windows 7 | Service Pack 1

When Trimble releases new field devices and versions of field software, it often releases a new version of GPS Pathfinder Office software to support the new features introduced into the field devices collectors and field software. To ensure compatibility between your field device, field software, and the GPS Pathfinder Office software, it is important that you have the correct version of each. The following table outlines the versions of field devices and field software that is compatible with each version of the GPS Pathfinder Office software.

Trimble field device and field software	Version	GPS Pathfinder Office software version												
		2.11	2.51	2.70	2.80	2.90	3.00	3.10	4.00	4.10 ¹	4.20 ²	5.00	5.10	
GIS Surveyor software	–	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
GPS Pathfinder Basic Series	–	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
ASPEN [®] software	2.11	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
Asset Surveyor [®] software	3.16 for MC-V	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
Asset Surveyor software	3.40 for TDC1 [™]	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
Asset Surveyor software	3.40 for TDC2 [™]	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
Asset Surveyor software	4.04 for TSC1 [™]	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
Asset Surveyor software	5.00 for TSC1	-	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
Asset Surveyor software	5.12 for TSC1	-	-	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
Asset Surveyor software	5.27 for TSC1	-	-	-	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
GeoExplorer [®] handheld I and II	2.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
GeoExplorer handheld 3 and 3c	1.04	-	✓	✓	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
GeoExplorer handheld 3c	1.20	-	-	-	✓	✓	✓	✓	✓	✓	✓ ³	-	-	-
GeoExplorer handheld 3	1.20	-	-	-	✓	✓	✓	✓	✓	✓	✓ ³	✓ ⁴	✓ ⁴	✓ ⁴
GPS Pathfinder Tools SDK	2.35 and earlier	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓ ⁴	✓ ⁴	✓ ⁴
GPS Pathfinder Tools SDK	2.4x	-	-	-	-	-	-	-	-	-	-	✓ ⁴	✓ ⁴	✓ ⁴
MediaMapper software	3.1	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓ ⁴	✓ ⁴	✓ ⁴
GPSScorrect [™] extension for Esri ArcPad software	1.01	-	-	-	-	✓	✓	✓	✓	✓	✓	✓ ⁴	✓ ⁴	✓ ⁴
GPSScorrect extension for Esri ArcPad software	1.12 ⁵	-	-	-	-	✓	✓	✓	✓	✓	✓	✓ ⁴	✓ ⁴	✓ ⁴
GPSScorrect extension for Esri ArcPad software	2.00 ⁵	-	-	-	-	-	-	✓	✓	✓	✓	✓ ⁴	✓ ⁴	✓ ⁴
GPSScorrect extension for Esri ArcPad software	2.20	-	-	-	-	-	-	-	✓	✓	✓	✓ ⁴	✓ ⁴	✓ ⁴
GPSScorrect extension for Esri ArcPad software	2.30	-	-	-	-	-	-	-	✓ ⁶	✓	✓	✓ ⁴	✓ ⁴	✓ ⁴

Trimble field device and field software	Version	GPS Pathfinder Office software version												
		2.11	2.51	2.70	2.80	2.90	3.00	3.10	4.00	4.10 ¹	4.20 ²	5.00	5.10	
GPSCorrect extension for Esri ArcPad software	2.40	-	-	-	-	-	-	-	-	-	✓	✓ ⁴	✓ ⁴	✓ ⁴
GPSCorrect extension for Esri ArcPad software	2.41	-	-	-	-	-	-	-	-	-	✓ ⁷	✓ ⁴	✓ ⁴	✓ ⁴
GPSCorrect extension for Esri ArcPad software	2.42	-	-	-	-	-	-	-	-	-	✓ ⁸	✓ ⁴	✓ ⁴	✓ ⁴
GPSCorrect extension for Esri ArcPad software	3.00/3.01/3.02	-	-	-	-	-	-	-	-	-	✓ ⁹	✓ ⁴	✓ ⁴	✓ ⁴
GPSCorrect extension for Esri ArcPad software	3.1x	-	-	-	-	-	-	-	-	-	-	✓	✓	✓
GPSCorrect extension for Esri ArcPad software	3.20	-	-	-	-	-	-	-	-	-	-	-	-	✓
TerraSync™ software	1.10	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
TerraSync software	1.22	-	-	-	✓	✓	✓	✓	✓	✓	✓	-	-	-
TerraSync software	2.10	-	-	-	-	✓	✓	✓	✓	✓	✓	-	-	-
TerraSync software	2.2x	-	-	-	-	✓	✓	✓	✓	✓	✓	-	-	-
TerraSync software	2.3x	-	-	-	-	✓	✓	✓	✓	✓	✓	-	-	-
TerraSync software	2.4x	-	-	-	-	-	✓	✓	✓	✓	✓	-	-	-
TerraSync software	2.53	-	-	-	-	-	-	✓	✓	✓	✓	-	-	-
TerraSync software	2.6x	-	-	-	-	-	-	✓	✓	✓	✓	-	-	-
TerraSync software	3.0x	-	-	-	-	-	-	-	✓ ⁶	✓	✓ ⁴	✓ ⁴	✓ ⁴	✓ ⁴
TerraSync software	3.2x	-	-	-	-	-	-	-	-	✓ ⁷	✓ ⁴	✓ ⁴	✓ ⁴	✓ ⁴
TerraSync software	3.30	-	-	-	-	-	-	-	-	✓ ⁸	✓ ⁴	✓ ⁴	✓ ⁴	✓ ⁴
TerraSync software	4.0x	-	-	-	-	-	-	-	-	✓ ⁹	✓ ⁴	✓ ⁴	✓ ⁴	✓ ⁴
TerraSync software	4.1x	-	-	-	-	-	-	-	-	-	✓	✓	✓	✓
TerraSync software	5.0x	-	-	-	-	-	-	-	-	-	-	✓	✓	✓
TerraSync software	5.10	-	-	-	-	-	-	-	-	-	-	-	-	✓
GPS Pathfinder Community Base Station	2.68	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
TRS™ software	1.05	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

¹The Differential Correction Classic Utility is not included in this version of the software. Carrier phase processing using a single-frequency base station is not supported (code processing using a single frequency base station is supported).

Centimeter level fixed processing with 45 minutes of carrier data is specified for a number of receivers, including the GeoXT™ and GeoXH™ handhelds (GeoExplorer 2005 series) and the GPS Pathfinder Pro XRS receiver. This specification is only supported by Differential Correction classic which is limited to the GPS Pathfinder Office software version 4.00 and earlier.

The GeoExplorer 2008 series GeoXT and GeoXH handhelds, and the GPS Pathfinder ProXRT receiver are not specified to achieve fixed solutions.

It should be noted that all mentioned receivers may in some cases give fixed solutions when processed with the Differential Correction wizard utility which is included in the GPS Pathfinder Office software version 4.00 install, but they are not specified to do so.

²Carrier phase processing using a single-frequency base station is supported in the postprocessing engine included in the GPS Pathfinder Office software version 4.20.

Centimeter level fixed solution with 45 minutes of carrier data is available for the ProXT and ProXRS receivers, and the GeoXT handhelds. Postprocessing of code pseudoranges with the Trimble DeltaPhase™ technology is supported in this version.

³While compatible, these versions of field software are no longer tested at time of release.

⁴If using the GPS Pathfinder Tools SDK version 2.35 or earlier, or the TerraSync software version 4.02 or earlier, or the GPSCorrect extension version 3.02 or earlier or the GeoExplorer 3 version 1.20 with the GPS Pathfinder Office software version 4.20, and you want to postprocess your data, you must also log the following rover data:

- i) between feature positions (not *in* feature positions) at a one second logging interval
- ii) carrier phase or supercorrect data
- iii) wide open elevation, SNR, and PDOP masks

If you do not log this additional data, postprocessing will fail.

⁵The H-Star™ processing options are only available if the GPS receiver used to collect the data has H-Star technology. H-Star postprocessing requires version 3.10 or later of the GPS Pathfinder Office software, or version 1.10 or later of the GPS Analyst™ extension for Esri ArcGIS Desktop software.

⁶The GPS Pathfinder Office version 4.00 software requires the latest updates to support GPSCorrect extension for Esri software version 2.30 and TerraSync version 3.05.

⁷The GPS Pathfinder Office version 4.10 software requires the latest update to support GPSCorrect software version 2.41 and TerraSync software version 3.21

⁸The GPS Pathfinder Office version 4.10 software requires the latest update to support GPSCorrect software version 2.42 and TerraSync software version 3.30

⁹The GPS Pathfinder Office version 4.10 software requires the latest update to support GPSCorrect software version 3.00/3.01/3.02 and TerraSync software version 4.00/4.01/4.02.

Office software—versions of the Windows operating system

When Microsoft releases a new operating system, the latest version of the GPS Pathfinder Office software may not run correctly on that operating system. The following table outlines the Windows operating systems that each version of the GPS Pathfinder Office software supports.

Windows operating systems	GPS Pathfinder Office software version											
	2.11	2.51	2.70	2.80	2.90	3.00	3.10	4.00	4.10	4.20	5.00	5.10
Windows 3.1 x	-	-	-	-	-	-	-	-	-	-	-	-
Windows 95	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-
Windows 98	-	✓	✓	✓	✓	✓	-	-	-	-	-	-
Windows Me	-	-	-	✓	✓	✓	-	-	-	-	-	-
Windows NT® 3.51	-	-	-	-	-	-	-	-	-	-	-	-
Windows NT 4 (* Service pack 4 or greater)	✓	✓	✓*	✓*	✓*	✓*	✓*	-	-	-	-	-
Windows 2000	-	-	✓	✓	✓	✓	✓	✓	✓	-	-	-
Windows XP	-	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓
Windows XP Tablet PC edition	-	-	-	-	-	✓	✓	✓	✓	✓	✓	✓
Windows XP Professional x64 edition	-	-	-	-	-	-	-	✓	✓	✓	✓	✓
Windows Vista®	-	-	-	-	-	-	-	✓	✓	✓	✓	✓
Windows 7	-	-	-	-	-	-	-	-	-	✓	✓	✓

Note – The Windows Vista operating system, 32-bit and 64-bit are both supported.

Note – The Windows 7 operating system, 32-bit and 64-bit are both supported.

Note – Windows Vista Starter edition is not supported.

Data Transfer utility

The Data Transfer utility transfers data from a range of field devices to your office computer. You can then import the data into the GPS Pathfinder Office software.

The Trimble Data Transfer software is available free from the Trimble website at www.trimble.com/datatransfer.html.

Note – Although you can use the Data Transfer utility to download data from any Mapping & GIS field device irrespective of the version of the GPS Pathfinder Office software you have, the files from your field device may not be compatible with your version of the GPS Pathfinder Office software because of the functionality in that field device. Check [Microsoft Operation Systems Field device / field software: Office software](#) for compatibility information.

Microsoft ActiveSync technology

The current version of Microsoft ActiveSync® technology is version 4.5. You can download this, free of charge, from www.microsoft.com/windowsmobile/activesync/default.mspx.

Note – You must have ActiveSync version 4.2 or later installed on your computer when you connect to any Microsoft CE 3.0, CE .NET, Pocket PC 2003, or Windows Mobile® operating system.

Windows Mobile Device Center for the Windows Vista operating system

Windows Mobile Device Center is only compatible with devices powered by Windows Mobile 2003 software for Pocket PCs and later versions. You can download the current version of the Windows Mobile Device Center, free of charge, from www.microsoft.com/windowsmobile/devicecenter.mspx.

TerraSync software

The following tables list the compatibility between all versions of the Trimble TerraSync software and current ranges of Trimble field computers' operating systems as well as GPS Pathfinder receivers.

TerraSync software—current ranges of Trimble field computers' operating systems: Desktop and tablet computers

		Desktop computers					Tablet computers Yuma®	
Operating system		Windows 95 / 98 / ME / NT 4.0	Windows 2000	Windows XP	Windows Vista ¹	Windows 7 ²	Windows Vista Business	Windows 7 Professional ³
	Internal GPS Firmware Version or ID number	-	-	-	-	-	All	All
TerraSync software versions	1.01	-	-	-	-	-	-	-
	1.2x	-	-	-	-	-	-	-
	2.10	-	✓	-	-	-	-	-
	2.11	-	✓	-	-	-	-	-
	2.20	-	✓	✓	-	-	-	-
	2.21	-	✓	✓	-	-	-	-
	2.30	-	✓	✓	-	-	-	-
	2.31	-	✓	✓	-	-	-	-
	2.4x	-	✓	✓	-	-	-	-
	2.53	-	✓	✓	-	-	-	-
	2.6x	-	✓	✓	-	-	-	-
	3.00	-	✓	✓	✓	-	-	-
	3.01	-	✓	✓	✓	-	-	-
	3.05	-	✓	✓	✓	-	-	-
	3.20	-	✓	✓	✓	-	-	-
	3.21	-	✓	✓	✓	-	-	-
	3.30	-	✓	✓	✓	-	-	-
	4.00	-	✓	✓	✓	-	-	-
	4.01	-	✓	✓	✓	-	✓	-
	4.02	-	✓	✓	✓	-	✓	-
4.1x	-	-	✓	✓	✓	✓	✓	
5.0x	-	-	✓	✓	✓	✓	✓	
5.10	-	-	-	-	-	-	-	

¹The Windows Vista operating system, 32-bit and 64-bit are both supported. Windows Vista Starter edition is not supported.

²The Windows 7 operating system, 32-bit and 64-bit are both supported.

³The Windows 7 Professional operating system, 32-bit version, is the only version supported by the Trimble Yuma rugged tablet computer.

TerraSync software—current ranges of Trimble field computers' operating systems: Field computers (Recon, Nomad, TSCe, and Ranger)

		Field computers											
		Trimble Recon®				Trimble Nomad® series	Nomad 800G series		Nomad 900G series	TSCe		Trimble Ranger™	
TerraSync software versions	Operating system	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6		Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003 SE	Windows Mobile 5.0
	Internal GPS Firmware Version	-	-	-	-	All	#8763# ¹	#9802# ¹	#9803# ¹	-	-	-	-
1.01	-	-	-	-	-	-	-	-	-	-	-	-	-
1.2x	-	-	-	-	-	-	-	-	-	-	-	-	-
2.10	-	-	-	-	-	-	-	-	-	-	-	-	-
2.11	-	-	-	-	-	-	-	-	-	-	-	-	-
2.20	-	-	-	-	-	-	-	-	-	✓	-	-	-
2.21	-	-	-	-	-	-	-	-	-	✓	-	-	-
2.30	-	-	-	-	-	-	-	-	-	✓	-	-	-
2.31	✓	-	-	-	-	-	-	-	-	✓	-	-	-
2.4x	✓	✓	-	-	-	-	-	-	-	✓	✓	-	-
2.53	✓	✓	✓	-	-	-	-	-	-	-	✓	✓	✓
2.6x	✓	✓	✓	✓	-	-	-	-	-	-	✓	✓	✓
3.00	-	✓	✓	✓	-	-	-	-	-	-	-	✓	✓
3.01	-	✓	✓	✓	-	-	-	-	-	-	-	✓	✓
3.05	-	✓	✓	✓	✓	✓	✓ ²	-	-	-	-	✓	✓
3.20	-	✓	✓	✓	✓	✓	✓ ²	-	-	-	-	✓	✓
3.21	-	✓	✓	✓	✓	✓	✓ ²	-	-	-	-	✓	✓
3.30	-	✓	✓	✓	✓	✓	✓ ²	-	-	-	-	✓	✓
4.0x	-	✓	✓	✓	✓	✓	✓	-	-	-	-	✓	✓
4.10	-	✓	✓	✓	✓	✓	✓	-	-	-	-	✓	✓
4.12	-	✓	✓	✓	✓	✓	✓	-	-	-	-	✓	✓
4.13	-	-	✓	✓	✓	✓	✓	-	-	-	-	-	✓
4.15	-	-	✓	✓	✓	✓	✓	-	-	-	-	-	✓
5.0x	-	-	✓	✓	✓	✓	✓	✓	-	-	-	-	✓
5.10	-	-	-	-	-	-	-	-	-	-	-	-	-

¹The internal GPS receiver ID can be determined by using the SatViewer utility to connect to the GPS receiver, then selecting the About tab. The receiver ID is the final part of the SiRF III Firmware string.

²This version of the TerraSync software can be installed on this device but will not be able to connect to the internal GPS receiver as it is not compatible with the version of GPS firmware installed.

TerraSync software—current ranges of Trimble field computers' operating systems: Field computers (Juno series)

		Field computers			
		Juno® ST	Juno series (SB and SC)	Juno series (SB, SC and SD)	Juno SA
	Operating system	Windows Mobile 5.0	Windows Mobile 6.1	Windows Mobile 6.1	Windows Mobile 6.1
	Internal GPS Firmware Version or ID number	All	3.2.5.0.0	3.2.5.0.1 or later	3.2.5.0.3
TerraSync software versions	1.01	-	-	-	-
	1.2x	-	-	-	-
	2.10	-	-	-	-
	2.11	-	-	-	-
	2.20	-	-	-	-
	2.21	-	-	-	-
	2.30	-	-	-	-
	2.31	-	-	-	-
	2.4x	-	-	-	-
	2.53	-	-	-	-
	2.6x	-	-	-	-
	3.00	-	-	-	-
	3.01	✓	-	-	-
	3.05	✓	-	-	-
	3.20	✓	-	-	-
	3.21	✓	-	-	-
	3.30	✓	✓	✓ ²	-
	4.0x	✓	✓	✓	-
	4.1x	✓	✓	✓	-
	5.00	✓	✓	✓	-
5.01	✓	✓	✓	✓	
5.02	✓	✓	✓	✓	
5.10	-	-	-	-	

TerraSync software—current ranges of Trimble field computers' operating systems: Field computers (GeoExplorer series)

		Field computers								
		GeoExplorer 2003 series			GeoExplorer 2005 series	GeoExplorer 2008 and 3000 series				GeoExplorer 6000 series
	Operating system	CE 3.0	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6		Windows Mobile 6.1		Windows Mobile 6.5
	Internal GPS Firmware Version or ID number	All	All	All	All	2.03 or earlier	2.11 or later	2.03 or earlier	2.11 or later	3.003 or later
TerraSync software versions	1.01	-	-	-	-	-	-	-	-	-
	1.2x	-	-	-	-	-	-	-	-	-
	2.10	-	-	-	-	-	-	-	-	-
	2.11	-	-	-	-	-	-	-	-	-
	2.20	✓	-	-	-	-	-	-	-	-
	2.21	✓	-	-	-	-	-	-	-	-
	2.30	✓	✓ ¹	-	-	-	-	-	-	-
	2.31	✓	-	-	-	-	-	-	-	-
	2.4x	✓	✓	✓	-	-	-	-	-	-
	2.53	-	✓	✓	✓	-	-	-	-	-
	2.6x	-	✓	✓	✓	-	-	-	-	-
	3.00	-	✓	✓	✓	-	-	-	-	-
	3.01	-	✓	✓	✓	-	-	-	-	-
	3.05	-	✓	✓	✓	-	-	-	-	-
	3.20	-	-	✓	✓	-	-	-	-	-
	3.21	-	-	✓	✓	✓	✓ ²	✓	✓ ²	-
	3.30	-	-	✓	✓	✓	✓ ²	✓	✓ ²	-
	4.0x	-	-	✓	✓	✓	✓	✓	✓	-
	4.10	-	-	✓	✓	✓	✓	✓	✓	-
	4.12	-	-	✓	✓	✓	✓	✓	✓	-
4.13	-	-	-	✓	✓	✓	✓	✓	-	
4.15	-	-	-	✓	✓	✓	✓	✓	-	
5.0x	-	-	-	✓	✓	✓	✓	✓	-	
5.10	-	-	-	-	-	-	-	-	✓	

¹The web package version of TerraSync software version 2.30 supports GeoExplorer CE devices running Microsoft CE .Net. The CD version of TerraSync software version 2.30 does not support GeoExplorer CE devices running Windows CE .Net.

²This version of the TerraSync software can be installed on this device but will not be able to connect to the internal GPS receiver as it is not compatible with the version of GPS firmware installed.

TerraSync software—GPS Pathfinder receivers

	GPS Pathfinder receivers																		
	Receiver part number	Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series						
		Receiver firmware version	43800-00	59960-00	59980-00	16851-40/ 16851-50	38198-50	46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	ProXT™	ProXH™	ProXRT			
														ProXT™	ProXH™	Model 1		Model 2	
TerraSync software versions	1.01	✓	-	-	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-	-	-	-
	1.2x	✓	-	-	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-	-	-	-
	2.10	✓	-	-	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-	-	-	-
	2.11	✓	-	-	✓	✓	✓	✓	✓	✓ ¹	✓	✓	-	-	-	-	-	-	-
	2.2x	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
	2.3x	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
	2.4x	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
	2.53	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-
	2.60	✓	-	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-
	2.61	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-
	3.0x	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-
	3.2x	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-
	3.30	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-
	4.00	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-
	4.0x	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-
	4.10	-	✓	✓	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	✓	-	-
	4.12	-	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-
	4.13	-	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	4.15	-	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	5.0x	-	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
5.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

¹When the receiver is communicating with TerraSync software version 2.11, the antenna icon flashes continuously even though the antenna is connected and the receiver is tracking satellites. This is a known issue when using TerraSync software 2.11 or earlier with a GPS Pathfinder Pro XR receiver (P/N 46090-11) or with a GPS Pathfinder Pro XRS receiver (P/N 33302-53). This issue does not affect data collection. To resolve it, you should upgrade to TerraSync software version 2.20 or later.

TerraSync software—Land Survey receivers

		Land Survey receivers													
		5800		5800 II			R8		R8 GNSS					R8 Model 3	
		Receiver firmware version ¹	2.31	2.32	3.64	3.82	4.01 - 4.12	2.31	2.32	3.25	3.5	3.6	3.64	3.82	4.01 - 4.12
TerraSync software versions	3.01	✓	-	-	-	-	✓	✓	-	-	-	-	-	-	-
	3.05	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	-	-	-
	3.20	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	-	-	-
	3.21	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	-	-	-
	3.30	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	-	-	-
	4.00	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	-	-	-
	4.01	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	-	-	-
	4.02	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	-	-	-
	4.10	-	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-
	4.12	-	-	-	✓	✓	-	-	-	-	-	-	✓	✓	-
	4.13	-	-	-	✓	✓	-	-	-	-	-	-	✓	✓	-
	4.15	-	-	-	✓	✓	-	-	-	-	-	-	✓	✓	-
	5.0x	-	-	-	✓	✓	-	-	-	-	-	-	✓	✓	✓
	5.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹Not all versions of TerraSync software and Land Survey receiver firmware combinations are listed above.

TerraSync software - Turn-by-turn navigation software

		TomTom Navigator 6	CoPilot Live 7 Professional
		6.031	7.7.3.287
TerraSync software versions	3.21 or earlier	-	-
	3.30	✓	✓
	4.00	✓	✓
	4.01	✓	✓
	4.02	✓	✓
	4.1x	✓	✓
	5.0x	-	-
	5.10	-	-

GPS Analyst extension for Esri ArcGIS Desktop software

The following tables list the compatibility between all versions of Trimble GPS Analyst™ extension for Esri ArcGIS Desktop software, versions of Trimble Mapping & GIS field software, versions of the Microsoft Windows operating system, and versions of the Esri ArcGIS Desktop software.

GPS Analyst extension for versions of Trimble Mapping & GIS field software

Trimble field software	Version	GPS Analyst software version								
		1.00	1.10	1.20	2.00	2.10	2.20	2.30	2.40	
TerraSync software versions	2.30 or earlier	-	-	-	-	-	-	-	-	-
	2.4x	✓	✓	✓	✓	-	-	-	-	
	2.53	✓	✓	✓	✓	-	-	-	-	
	2.6x	✓	✓	✓	✓	-	-	-	-	
	3.00	✓	✓	✓	✓	-	-	-	-	
	3.01	-	-	-	-	✓	✓ ¹	✓ ¹	✓ ¹	
	3.05	-	-	-	-	✓	✓ ¹	✓ ¹	✓ ¹	
	3.20	-	-	-	-	✓	✓ ¹	✓ ¹	✓ ¹	
	3.21	-	-	-	-	✓	✓ ¹	✓ ¹	✓ ¹	
	3.30	-	-	-	-	✓	✓ ¹	✓ ¹	✓ ¹	
	4.00	-	-	-	-	✓	✓ ¹	✓ ¹	✓ ¹	
	4.01	-	-	-	-	✓	✓ ¹	✓ ¹	✓ ¹	
	4.02	-	-	-	-	✓	✓ ¹	✓ ¹	✓ ¹	
	4.1x	-	-	-	-	-	✓	✓	✓	
5.0x	-	-	-	-	-	✓ ²	✓	✓		
5.10	-	-	-	-	-	-	-	✓		
GPScorrect extension versions	1.01	✓	✓	✓	✓	✓	✓ ¹	✓ ¹	-	
	1.12	-	-	✓	✓	✓	✓ ¹	✓ ¹	-	
	2.00	-	-	✓	✓	✓	✓ ¹	✓ ¹	-	
	2.11	-	-	✓	✓	✓	✓ ¹	✓ ¹	-	
	2.20	-	-	-	-	✓	✓ ¹	✓ ¹	-	
	2.30	-	-	-	-	✓	✓ ¹	✓ ¹	-	
	2.40	-	-	-	-	✓	✓ ¹	✓ ¹	-	
	2.41	-	-	-	-	✓	✓ ¹	✓ ¹	-	
	2.42	-	-	-	-	✓	✓ ¹	✓ ¹	-	
	3.00	-	-	-	-	✓	✓ ¹	✓ ¹	-	
	3.01	-	-	-	-	✓	✓ ¹	✓ ¹	-	
	3.02	-	-	-	-	✓	✓ ¹	✓ ¹	-	
	3.1x	-	-	-	-	-	✓	✓	✓ ³	
3.20	-	-	-	-	-	-	-	✓		

¹If using the TerraSync software version 4.02 or earlier, or the GPScorrect extension version 3.02 or earlier with the GPS Analyst extension version 2.20, and you want to postprocess your data, you must also log the following rover data:

- i) between feature positions at a one second logging interval
- ii) carrier phase or supercorrect data
- iii) wide open elevation, SNR, and PDOP masks

If you do not log this additional data, postprocessing will fail.

²If you are using the GPS Analyst extension version 2.20 with the TerraSync software version 5.0x, you must have all the latest 2.20 Updates applied.

³GPSCorrect extension version 3.15 and later, running ArcPad software version 10.

GPS Analyst extension for Esri ArcGIS Desktop software—versions of the Windows operating system

Note – This table does not reflect the compatibility between Esri ArcGIS Desktop software and the Windows operating systems (or any other operating systems supported by Esri).

		Desktop computers									
		Windows 95	Windows 98	Windows ME	Windows NT4	Windows 2000	Windows XP	Windows XP Tablet	Windows XP Professional x64 Edition	Windows Vista	Windows 7
GPS Analyst extension versions	1.00	-	-	-	✓ ¹	✓	✓	✓	-	-	-
	1.10	-	-	-	✓ ¹	✓	✓	✓	-	-	-
	1.20	-	-	-	✓ ¹	✓	✓	✓	-	-	-
	2.00	-	-	-	✓ ¹	✓	✓	✓	-	-	-
	2.10	-	-	-	-	✓	✓	✓	✓	✓ ²	-
	2.20	-	-	-	-	-	✓	✓	✓	✓ ²	✓ ³
	2.30	-	-	-	-	-	✓	✓	✓	✓	✓
	2.40	-	-	-	-	-	✓	✓	✓	✓	✓

¹Windows NT4 service pack version 6a is required.

²Esri ArcGIS software version 9.3 is required when running Windows Vista.

³Esri ArcGIS software version 9.3.1 is required when running Windows 7.

GPS Analyst extension for versions of the Esri ArcGIS Desktop software

		Esri ArcGIS desktop version								
		8.1	8.2	8.3	9.0	9.1	9.2	9.3	9.3.1	10
GPS Analyst extension versions	1.00	-	-	✓ ¹	✓ ¹	-	-	-	-	-
	1.10	-	-	✓ ¹	✓ ¹	✓	-	-	-	-
	1.20	-	-	✓ ¹	✓ ¹	✓	-	-	-	-
	2.00	-	-	-	✓ ¹	✓ ²	-	-	-	-
	2.10	-	-	-	✓ ¹	✓ ²	✓ ³	✓ ⁴	✓	-
	2.20	-	-	-	✓ ¹	✓ ²	✓ ³	✓ ⁴	✓	-
	2.30	-	-	-	-	-	-	-	-	✓ ⁴
	2.40	-	-	-	-	-	-	-	-	✓ ⁴

¹Esri ArcGIS Desktop Service Pack 3 required.

²Esri ArcGIS Desktop Service Pack 2 required.

³Esri ArcGIS Desktop Service Pack 5 required.

⁴Esri ArcGIS Desktop Service Pack 1 required.

GPS Analyst extensions for Esri ArcGIS Desktop software—GPS Pathfinder receivers

		GPS Pathfinder receivers									
		Pocket	XC	XB	ProXL	Power	ProXR	ProXRS	ProXT	ProXH	ProXRT
GPS Analyst extension versions	1.00	✓	-	-	-	✓	✓	✓	-	-	-
	1.10	✓	-	-	-	✓	✓	✓	✓	✓	-
	1.20	✓	-	-	-	✓	✓	✓	✓	✓	-
	2.00	-	✓	✓	-	-	-	✓	✓	✓	-
	2.10	-	✓	✓	-	-	-	✓	✓	✓	✓ ¹
	2.20	-	✓	✓	-	-	-	✓	✓	✓	✓ ¹
	2.30	-	✓	-	-	-	✓	✓	✓	✓	✓ ¹
	2.40	-	✓	-	-	-	✓	✓	✓	✓	✓ ¹

¹Data cannot be collected directly into the geodatabase using this receiver. Data collected using this GPS receiver with one of the following software applications can be differentially corrected in the GPS Analyst extension: Esri ArcPad software with GPSCorrect extension, TerraSync software, Applications developed using the GPS Pathfinder Tools SDK.

GPS Analyst extensions for Esri ArcGIS Desktop software—Trimble handheld computers with integrated GPS

		Trimble handheld computers with integrated GPS										Tablet Computer		
		Nomad series and Nomad 800G series	Nomad 900G series	Juno ST	Juno series (SA, SB, SC, and SD)	GeoExplorer		GeoExplorer 2003 series	GeoExplorer 2005 series	GeoExplorer 2008 and 3000 series		GeoExplorer 6000 series	Yuma	
GPS Analyst extension versions	Operating System version	Windows Mobile 6	Windows Mobile 6.1	Windows Mobile 5.0	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6.1	Windows Mobile 6.5	Windows Vista	Windows 7 Professional
	GPS Analyst extension versions	1.00	-	-	-	-	✓	✓	✓	-	-	-	-	-
1.10		-	-	-	-	✓	✓	✓	-	-	-	-	-	-
1.20		-	-	-	-	✓	✓	✓	✓	-	-	-	-	-
2.00		-	-	-	-	✓	✓	✓	✓	-	-	-	-	-
2.10		✓ ¹	-	✓ ¹	✓ ¹	✓	✓	✓	✓	✓ ¹	✓ ¹	-	✓ ^{1,2}	-
2.20		✓ ¹	-	✓ ¹	✓ ¹	✓	✓	✓	✓	✓ ¹	✓ ¹	-	✓ ^{1,2}	✓ ^{1,3}
2.30		✓ ¹	✓ ¹	✓ ¹	✓ ¹	-	-	-	✓	✓ ¹	✓ ¹	-	✓ ¹	✓ ¹
2.40		✓ ¹	✓ ¹	✓ ¹	✓ ¹	-	-	-	✓	✓ ¹	✓ ¹	✓ ¹	✓ ¹	✓ ¹

¹Data cannot be collected directly into the geodatabase using this receiver. Data collected using this GPS receiver with one of the following software applications can be differentially corrected in the GPS Analyst extension: Esri ArcPad with GPSCorrect extension, TerraSync software, Applications developed using the GPS Pathfinder Tools SDK.

²Esri ArcGIS software version 9.3 is required when using a Trimble Yuma tablet computer powered by the Windows Vista operating system.

³Esri ArcGIS software version 9.3.1 is required when using a Trimble Yuma tablet computer powered by the Windows 7 Professional operating system.

GPSCorrect extension for Esri ArcPad software

The following tables list the compatibility between all versions of Trimble GPSCorrect extension for the Esri ArcPad field software, the current range of Trimble GPS Pathfinder receiver firmware and versions of the Windows operating system.

GPSCorrect extension for Esri ArcPad software—versions of Windows operating system: Desktop and tablet computers

		Desktop computers					Tablet computers	
		Windows 95 / 98 / ME / NT 4.0	Windows 2000	Windows XP	Windows Vista	Windows 7	Yuma	
Windows Vista Business	Windows 7 Professional							
Operating system		-	-	-	-	-	All	
Internal GPS Firmware Version or ID number		-	-	-	-	-	All	
GPSCorrect extension versions	1.00	-	✓	✓	-	-	-	-
	1.01	-	✓	✓	-	-	-	-
	1.12	-	✓	✓	-	-	-	-
	2.00	-	✓	✓	-	-	-	-
	2.1x	-	✓	✓	-	-	-	-
	2.20	-	✓	✓	-	-	-	-
	2.30	-	✓	✓	✓	-	-	-
	2.40	-	✓	✓	✓	-	-	-
	2.41	-	✓	✓	✓	-	-	-
	2.42	-	✓	✓	✓	-	-	-
	3.00	-	✓	✓	✓	-	-	-
	3.01	-	✓	✓	✓	-	✓	-
	3.02	-	✓	✓	✓	-	✓	-
	3.1x	-	-	✓	✓	✓	✓	✓
3.20	-	-	-	-	-	-	-	

**GPSCorrect extension for Esri ArcPad software—versions of Windows operating system:
Field computers (Recon, Nomad, Ranger, and Juno series)**

		Field computers														
		Trimble Recon				Nomad series	Nomad 800G series		Nomad 900G series	TSCe		Trimble Ranger		Juno ST	Juno SB and SC	Juno SA, SB, SC and SD
Operating system	Internal GPS Firmware Version or ID number	CE .NET ¹	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6.1	CE 3.0	CE .NET ¹	Pocket PC 2003 SE	Windows Mobile 5.0 software	Windows Mobile 5.0	Windows Mobile 6.1	Windows Mobile 6.1
GPSCorrect extension versions	1.00	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-
	1.01	✓	✓	-	-	-	-	-	-	✓	✓	-	-	-	-	-
	1.12	✓	✓	✓	-	-	-	-	-	-	✓	✓	✓	-	-	-
	2.00	-	✓	✓	-	-	-	-	-	-	-	✓	✓	-	-	-
	2.1x	-	✓	✓	-	-	-	-	-	-	-	✓	✓	-	-	-
	2.20	-	✓	✓	-	-	-	-	-	-	-	✓	✓	✓	-	-
	2.30	-	✓	✓	✓ ³	✓ ³	✓ ³	✓ ^{3,4}	-	-	-	✓	✓	✓	-	-
	2.40	-	✓	✓	✓ ³	✓ ³	✓ ³	✓ ^{3,4}	-	-	-	✓	✓	✓	-	-
	2.41	-	✓	✓	✓ ³	✓ ³	✓ ³	✓ ^{3,4}	-	-	-	✓	✓	✓	-	-
	2.42	-	✓	✓	✓ ³	✓ ³	✓ ³	✓ ^{3,4}	-	-	-	✓	✓	✓	✓ ³	✓ ^{3,4}
	3.00	-	✓	✓	✓ ³	✓ ³	✓ ³	✓ ³	-	-	-	✓	✓	✓	✓ ³	✓ ³
	3.01	-	✓	✓	✓ ³	✓ ³	✓ ³	✓ ³	-	-	-	✓	✓	✓	✓ ³	✓ ³
	3.02	-	✓	✓	✓ ³	✓ ³	✓ ³	✓ ³	-	-	-	✓	✓	✓	✓ ³	✓ ³
	3.10	-	✓	✓	✓ ³	✓ ³	✓ ³	✓ ³	-	-	-	✓	✓	✓	✓ ³	✓ ³
	3.13	-	-	✓	✓ ³	✓ ³	✓ ³	✓ ³	-	-	-	-	✓	✓	✓ ³	✓ ³
	3.14	-	-	✓	✓ ³	✓ ³	✓ ³	✓ ³	✓	-	-	-	✓	✓	✓ ³	✓ ³
	3.15	-	-	✓	✓ ³	✓ ³	✓ ³	✓ ³	✓	-	-	-	✓	✓	✓ ³	✓ ³
	3.16	-	-	✓	✓ ³	✓ ³	✓ ³	✓ ³	✓	-	-	-	✓	✓	✓ ³	✓ ³
	3.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹CE .NET versions earlier than version 4.2 are not supported by ArcPad software version 7.00 or the GPS correct extension version 2.10

²The internal GPS receiver ID can be determined by using the SatViewer utility to connect to the GPS receiver, then selecting the About tab. The receiver ID is the final part of the SiRF III Firmware string.

³To run the GPSCorrect extension on the Windows Mobile 6 operating system, you must have the compatible version of ArcPad installed.

⁴This version of the GPSCorrect extension can be installed on this device but will not be able to connect to the internal GPS receiver as it is not compatible with the version of GPS firmware installed.

**GPSCorrect extension for Esri ArcPad software—versions of Windows operating system:
Field computers (GeoExplorer series)**

		Field computers								
		GeoExplorer 2003 series			GeoExplorer 2005 series	GeoExplorer 2008 and 3000 series				GeoExplorer 6000 series
Operating system		CE 3.0	CE .NET ¹	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6		Windows Mobile 6.1		Windows Mobile 6.5
	Internal GPS Firmware Version or ID number	All	All	All	All	2.03 or earlier	2.11 or later	2.03 or earlier	2.11 or later	3.003
GPSCorrect extension versions	1.00	✓	-	-	-	-	-	-	-	-
	1.01	✓	✓	✓	-	-	-	-	-	-
	1.12	-	✓	✓	✓	-	-	-	-	-
	2.00	-	✓	✓	✓	-	-	-	-	-
	2.1x	-	✓	✓	✓	-	-	-	-	-
	2.20	-	✓	✓	✓	-	-	-	-	-
	2.30	-	✓	✓	✓	-	-	-	-	-
	2.40	-	-	✓	✓	-	-	-	-	-
	2.41	-	-	✓	✓	✓ ²	✓ ^{2,3}	✓ ²	✓ ^{2,3}	-
	2.42	-	-	✓	✓	✓ ²	✓ ^{2,3}	✓ ²	✓ ^{2,3}	-
	3.00	-	-	✓	✓	✓ ²	-	✓ ²	-	-
	3.01	-	-	✓	✓	✓ ²	-	✓ ²	-	-
	3.02	-	-	✓	✓	✓ ²	✓ ²	✓ ²	✓ ²	-
	3.10	-	-	✓	✓	✓ ²	✓ ²	✓ ²	✓ ²	-
	3.13	-	-	-	✓	✓ ²	✓ ²	✓ ²	✓ ²	-
	3.14	-	-	-	✓	✓ ²	✓ ²	✓ ²	✓ ²	-
	3.15	-	-	-	✓	✓ ²	✓ ²	✓ ²	✓ ²	-
3.16	-	-	-	✓	✓ ²	✓ ²	✓ ²	✓ ²	-	
3.20	-	-	-	-	-	-	-	-	✓ ²	

¹This version of the GPSCorrect extension can be installed on this device but will not be able to connect to the internal GPS receiver as it is not compatible with the version of GPS firmware installed.

²To run the GPSCorrect extension on the Windows Mobile 6 operating system, you must have ArcPad 7.1 or later installed

³This version of the GPSCorrect extension can be installed on this device but will not be able to connect to the internal GPS receiver as it is not compatible with the version of GPS firmware installed.

GPScorrect extension for versions of Esri ArcPad software

		Esri ArcPad software version						
		6.0.3	7.0 SP1	7.0.1	7.1	7.1.1	8.0	10
GPScorrect extension versions	1.0x	✓	-	-	-	-	-	-
	1.12	✓	-	-	-	-	-	-
	2.00	-	✓	✓	-	-	-	-
	2.1x	-	✓	✓	-	-	-	-
	2.20	-	✓	✓	-	-	-	-
	2.30	-	✓	✓	✓	-	-	-
	2.40	-	✓	✓	✓	-	-	-
	2.41	-	✓	✓	✓	✓	-	-
	2.42	-	✓	✓	✓	✓	✓	-
	3.00	-	-	-	-	✓	✓	-
	3.01	-	-	-	-	✓	✓	-
	3.02	-	-	-	-	✓	✓	-
	3.10	-	-	-	-	✓	✓	-
	3.13	-	-	-	-	✓	✓	-
	3.14	-	-	-	-	✓	✓	✓
	3.15	-	-	-	-	-	✓	✓
	3.16	-	-	-	-	-	✓	✓
	3.20	-	-	-	-	-	-	✓

GPScorrect extension for Esri ArcPad software—GPS Pathfinder receivers

GPScorrect extension versions	GPS Pathfinder receivers																		
	Receiver firmware version	Receiver part number	Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series					
														ProXT	ProXH	ProXRT			
																Model 1		Model 2	
1.00	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	
1.01	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	
1.12	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	
2.00	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	
2.10	✓	-	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	
2.11	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	
2.20	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	
2.30	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	
2.40	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	
2.41	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	
2.42	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	
3.00	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
3.01	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-	
3.02	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-	
3.10	-	✓	✓	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	✓	-	-	
3.13	-	✓	✓	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	✓	✓	-	
3.14	-	✓	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	
3.15	-	✓	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	
3.16	-	✓	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	
3.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Additional information regarding system requirements for Esri ArcPad is available on the ArcPad website www.esri.com/software/arcpad/index.html.

Municipal Reporter system

The following tables lists the compatibility between the Trimble Municipal Reporter™ system field software and GPS receivers, and the Municipal Reporter system Web service Export functionality and versions of Esri ArcGIS software.

Municipal Reporter system field software and GPS receivers

		GPS receivers				
		Nomad 800G series handhelds		Nomad 900G series handhelds	Juno SA / SB / SC / SD handhelds	
		Windows Mobile 6	Windows Mobile 6.1	Windows Mobile 6.1	Windows Mobile 6.1	
Receiver firmware version	#8763# ¹	#9802# ¹	#9802# ¹	#9803# ¹	3.2.5.0.3 or later	
Municipal Reporter system - field software versions	1.10	-	✓	✓	-	✓

¹The internal GPS receiver ID can be determined by using the SatViewer utility to connect to the GPS receiver, then selecting the About tab. The receiver ID is the final part of the SiRF III Firmware string.

Note – Only the handhelds listed here and their internal GPS receivers are supported.

Municipal Reporter system Web service and Esri ArcGIS software versions

	Esri ArcGIS		
	ArcGIS 9.3.0	ArcGIS 9.3.1	ArcGIS 10
Municipal Reporter system - Web service	-	✓	✓

TDL 3G Connector software

The following table lists the compatibility between the Trimble TDL 3G Connector software and versions of the Windows operating system.

Desktop and tablet computers

TDL 3G Connector software version		Desktop computers				Tablet Computer	
		Yuma					
		Windows 95 / 98 / ME / NT 4.0 / 2000	Windows XP	Windows Vista	Windows 7	Windows Vista	Windows 7 Professional
1.40.09	-	✓	✓	✓	✓	✓	
1.40.27	-	✓	✓	✓	✓	✓	

Field computers

TDL 3G Connector software version		Field computers																					
		Trimble Recon		Nomad series and Nomad 800G series		Nomad 900G series		TSCe		Trimble Ranger		Juno ST		Juno SA/SB/SC/SD		GeoExplorer 2003 series		GeoExplorer 2005 series		GeoExplorer 2008 and 3000 series		GeoExplorer 6000 series	
		CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003 SE	Windows Mobile 5.0	Windows Mobile 5.0	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6.1	Windows Mobile 6.5			
1.40.09	-	-	✓	✓	✓	✓	-	-	-	✓	-	✓	-	-	-	✓	✓	✓	✓	-			
1.40.27	-	-	✓	✓	✓	✓	-	-	-	✓	-	✓	-	-	-	✓	✓	✓	✓	✓			

GeoBeacon Controller software

The following table lists the compatibility between the Trimble GeoBeacon™ Controller software and versions of the Windows operating system.

GeoBeacon Controller software—versions of Windows operating system: Desktop and tablet computers

GeoBeacon Controller software versions		Desktop computers				Tablet Computer	
		Yuma					
		Windows 95 / 98/ ME / NT 4.0	Windows 2000	Windows XP	Windows Vista	Windows Vista	Windows 7 Professional
1.0.32	-	✓	✓	✓	✓	✓	

GeoBeacon Controller software—versions of Windows operating system: Field computers

GeoBeacon Controller software versions		Field computers																					
		Trimble Recon		Nomad series and Nomad 800G series		Nomad 900G series		TSCe		Trimble Ranger		Juno ST		Juno SB, SC, and SD		GeoExplorer 2003 series		GeoExplorer 2005 series		GeoExplorer 2008 and 3000 series		GeoExplorer 6000 series	
		CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003 SE	Windows Mobile 5.0	Windows Mobile 5.0	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6.1	Windows Mobile 6.5			
1.0.32	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

GeoBeacon receiver firmware

The following table lists the compatibility between the GeoBeacon receiver firmware and the GeoBeacon receiver board versions.

		GeoBeacon receiver board version ¹	
		3	4
GeoBeacon receiver firmware versions	1.30	✓	-
	1.35	-	✓
	1.351	-	✓

¹ To determine which version of the receiver board is installed in your receiver, connect to the receiver using the GeoBeacon Controller software. Select *Status / Receiver* and then view the *Receiver Type* field.

GPS Pathfinder Controller software and GPS Controller software

The following tables list the compatibility between Trimble GPS Pathfinder Controller software and GPS Controller software and the current range of GPS Pathfinder receivers as well as versions of Windows operating system.

GPS Pathfinder Controller and GPS Controller software—versions of Windows operating system: Desktop and tablet computers

		Desktop computers							Tablet computers		
		Windows 95	Windows 98	Windows ME	Windows NT 4.0	Windows 2000	Windows XP	Windows Vista	Windows 7	Yuma	
Operating system										Windows Vista Business	Windows 7 Professional
Internal GPS Firmware version or ID number		-	-	-	-	-	-	-		All	
GPS Pathfinder Controller software version	1.31	✓	✓	✓	✓	✓	✓	-	-	-	-
	2.10	-	-	-	-	✓ ¹	✓	-	-	-	-
GPS Controller software versions	2.11	-	-	-	-	✓ ¹	✓	✓	-	-	-
	2.15	-	-	-	-	✓ ¹	✓	✓	-	-	-
	2.20	-	-	-	-	-	-	-	-	-	-
	2.21	-	-	-	-	✓ ¹	✓	✓	-	-	-
	2.22	-	-	-	-	✓ ¹	✓	✓	-	-	-
	2.30	-	-	-	-	-	✓	✓	✓	-	-
	2.40	-	-	-	-	-	✓	✓	✓	-	-

¹ Windows 2000 Professional Service Pack 3 is required.

GPS Pathfinder Controller and GPS Controller software—versions of Windows operating system: Field computers (Recon, Nomad, TSCe, Ranger, and Juno series)

		Field computers															
		Trimble Recon				Nomad series	Nomad 800G series		Nomad 900G series		TSCe		Trimble Ranger		Juno ST	Juno SB, SC and SD	
Operating system		CE . NET	Pocket PC 2003	Windows Mobile 5.0 software	Windows Mobile 6 operating system	Windows Mobile 6	Windows Mobile 6		Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003 SE	Windows Mobile 5.0	Windows Mobile 5.0	Windows Mobile 6.1	Windows Mobile 6.1	Windows Mobile 6.1
Internal GPS Firmware version or ID number		-	-	-	-	All	#8763# ¹	#9802# ¹	#9803#	-	-	-	-	All	3.2.5.0.0	3.2.5.0.1 or later	3.2.5.0.3
GPS Pathfinder Controller software version	1.31	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	-
GPS Controller software versions	2.10	✓	✓	✓	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
	2.11	✓	✓	✓	-	-	-	-	-	-	-	✓	✓	✓	-	-	-
	2.15	-	✓	✓	✓	✓	✓	-	-	-	-	✓	✓	✓	-	-	-
	2.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2.21	-	✓	✓	✓	✓	✓	-	-	-	-	✓	✓	✓	✓	-	-
	2.22	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓	✓	-
	2.30	-	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓	✓
	2.40	-	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓	✓

¹The internal GPS receiver ID can be determined by using the SatViewer utility to connect to the GPS receiver, then selecting the About tab. The receiver ID is the final part of the SiRF III firmware string

GPS Pathfinder Controller and GPS Controller software—versions of Windows operating system: Field computers (GeoExplorer series)

		Field computers								
		GeoExplorer 2003 series			GeoExplorer 2005 series	GeoExplorer 2008 and 3000 series				GeoExplorer 6000 serie
Operating system		CE 3.0	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6.1		Windows Mobile 6.5	
Internal GPS Firmware version or ID number		All	All	All	All	2.03 or earlier	2.11 or later	2.03 or earlier	2.11 or later	3.003
GPS Pathfinder Controller software version	1.31	✓	-	-	-	-	-	-	-	-
GPS Controller software versions	2.10	-	✓	✓	✓	-	-	-	-	-
	2.11	-	✓	✓	✓	-	-	-	-	-
	2.15	-	-	✓	✓	-	-	-	-	-
	2.20	-	-	-	-	✓ ¹	-	✓ ²	-	-
	2.21	-	-	✓	✓	✓	-	✓	-	-
	2.22	-	-	✓	✓	✓	✓	✓	✓	-
	2.30	-	-	-	✓	✓	✓	✓	✓	-
	2.40	-	-	-	✓	✓	✓	✓	✓	✓

¹GPS Controller software version 2.20 is only available pre-installed on a GeoExplorer 2008 series handheld.

GPS Pathfinder Controller and GPS Controller software—GPS Pathfinder receivers

		GPS Pathfinder receivers																		
														Pro series		ProXRT				
		Receiver firmware version	Receiver part number	Pocket	Recon GPS CF Card ¹	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro XT	Pro XH	Model 1	Model 2	
GPS Pathfinder Controller software versions	1.31	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
GPS Controller software versions	2.10	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	2.11	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	2.15	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	2.20 ²	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	2.21	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	2.22	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	2.30	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	2.40	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-

¹GPS Controller software, when used with the Recon GPS CF Card, will not store an Almanac and the Plan option cannot be used.

²GPS Controller software version 2.20 is only available pre-installed on a GeoExplorer 2008 series handheld.

TrimPix Pro software

The following table lists the compatibility between the TrimPix™ Pro software and the Mapping & GIS data collectors as well as versions of the Windows operating system.

Note – You need a desktop computer to **install** and **configure** the TrimPix Pro software onto the field computer but you **cannot run** the TrimPix Pro software on the desktop computer

TrimPix Pro software—versions of the Windows operating system: Desktop computers

		Desktop computers			
		Windows 95/ 98/ ME / NT 4.0 / 2000	Windows XP	Windows Vista	Windows 7
TrimPix Pro software version	1.00	-	✓	✓	✓
	2.00	-	✓	✓	✓

TrimPix Pro software—versions of the Windows operating system: Field computers.

		Field computers																							
		Trimble Recon				Nomad series		Nomad 800G series		Nomad 900G series		TSCe		Trimble Ranger		Juno ST		Juno SA/SB/SC/SD		GeoExplorer 2003 series		GeoExplorer 2005 series		GeoExplorer 2008 and 3000 series	
		CE . NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003 SE	Windows Mobile 5.0	Windows Mobile 5.0	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6.1	Windows Mobile 6.5				
TrimPix Pro software version	1.00	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	-	-	-	✓	✓	-			
	2.00	-	-	-	-	-	✓	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	✓	-			

TrimPix technology

The following table lists the compatibility between the TrimPix technology and the Mapping & GIS data collectors as well as versions of the Windows operating system.

Note – You need a desktop computer to **install** the TrimPix technology onto the field computer but you **cannot run** the TrimPix technology on the desktop computer.

TrimPix technology—versions of the Windows operating system: Desktop computers

		Desktop computers			
		Windows 95 / 98 / ME / NT 4.0	Windows 2000	Windows XP	Windows Vista
TrimPix technology version	1.10	-	-	✓	-

TrimPix technology—versions of the Windows operating system: Field computers

TrimPix technology version	Field computers																		
	Trimble Recon			Nomad series and Nomad 800G series		TSCe		Trimble Ranger		Juno ST		Juno SA/SB/SC/SD		GeoExplorer 2003 series		GeoExplorer 2005 series		GeoExplorer 2008 and 3000 series	
	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6	CE 3.0	CE .NET	Pocket PC 2003 SE	Windows Mobile 5.0	Windows Mobile 5.0	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6.1	Windows Mobile 6.5	
1.10	-	-	✓	✓	✓	-	-	-	✓	✓	-	-	-	-	✓	✓	-	-	

Asset Surveyor software

The table below lists the compatibility between all versions of Asset Surveyor software and the current range of Trimble GPS Pathfinder receiver firmware.

Asset Surveyor software	GPS Pathfinder receivers																			
	Receiver firmware version	Receiver part number	Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series		ProXRT				
														Pro XT	Pro XH	Model 1	Model 2			
	3.40	4.04	5.00	5.12	5.27	43800-00	59960-00	59980-00	16851-40/ 16851-50	38198-50	46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	52240-20	52240-00	85340-00	85351-00
3.40	-	-	-	✓	-	-	✓	✓	-	-	✓	✓	-	-	-	-	-	-	-	-
4.04	-	-	-	✓	✓	-	✓	✓	-	-	✓	✓	-	-	✓	✓	-	-	-	-
5.00	-	-	-	✓	✓	-	✓	✓	-	-	✓	✓	-	-	✓	✓	-	-	-	-
5.12	-	-	-	✓	✓	-	✓	✓	-	-	✓	✓	-	-	✓	✓	-	-	-	-
5.27	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-

ASPEN software

This table lists the compatibility between ASPEN software and current Trimble GPS Pathfinder receiver firmware versions.

Aspen software	GPS Pathfinder receivers																			
	Receiver firmware version	Receiver part number	Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series		ProXRT				
														Pro XT	Pro XH	Model 1	Model 2			
	2.11	-	-	-	✓	-	✓ <td>✓</td> <td>✓</td> <td>✓</td> <td>✓</td> <td>✓</td> <td>✓</td> <td>✓</td> <td>✓</td> <td>✓</td> <td>✓</td> <td>✓</td> <td>✓</td>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2.11	-	-	-	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

TRS software

The following tables list compatibility between TRS software, versions of Microsoft Windows Operating System and Trimble GPS Pathfinder receivers.

TRS software - versions of Windows operating system software—GPS Pathfinder receivers

		Desktop computers								
		Windows 95	Windows 98	Windows ME	Windows NT 4.0	Windows 2000	Windows XP	Windows XP Professional x64 Edition	Windows Vista	Windows 7
TRS software version	1.05	✓	✓	✓	✓	✓	-	-	-	-

		GPS Pathfinder receivers														
		Receiver part number	Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS		Pro series		ProXRT	
								46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	Pro XT	Pro XH	Model 1
Receiver firmware version		3.10	2.30	3.15 or later	1.52 or later	1.70 or later	1.70 or later	1.31	1.70 or later	1.70 or later	1.52A	1.80 or later	1.80 or later	3.60 or later	4.15	
TRS software version	1.05	-	-	-	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-

GPS Pathfinder Tools SDK software

The following tables list the compatibility between versions of Trimble GPS Pathfinder Tools SDK software, the current range of Trimble GPS Pathfinder receiver firmware and versions of the Windows Operating System.

GPS Pathfinder Tools SDK software—versions of the Windows operating system: Desktop and tablet computers

		Desktop computers					Tablet computers	
		Windows 95 / 98/ ME / NT 4.0	Windows 2000	Windows XP	Windows Vista	Windows 7	Yuma	
Operating system	Windows Vista Business						Windows 7 Professional	
Internal GPS Firmware version or ID number		-	-	-	-		All	
GPS Pathfinder Tools SDK versions	2.20	-	✓	✓	✓	-	-	-
	2.25	-	✓	✓	✓	-	-	-
	2.30	-	✓	✓	✓	-	-	-
	2.31	-	✓	✓	✓	-	-	-
	2.32	-	✓	✓	✓	-	-	-
	2.33	-	✓	✓	✓	-	-	-
	2.34	-	✓	✓	✓	-	✓	-
	2.35	-	✓	✓	✓	-	✓	-
	2.40	-	✓	✓	✓	✓	✓	✓
	2.41	-	✓	✓	✓	✓	✓	✓
	2.42	-	-	✓	✓	✓	✓	✓

GPS Pathfinder Tools SDK software—versions of the Windows operating system: Field computers

	Field computers																								
	Trimble Recon			Nomad series		Nomad 800G series		Nomad 900G series		TSCe		Trimble Ranger		Juno ST		Juno SB and SC		Juno SA/SB/SC/SD		GeoExplorer 2003 series		GeoExplorer 2005 series		GeoExplorer 2008 and 3000 series	
Operating system	CE . NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003 SE	Windows Mobile 5.0	Windows Mobile 5.0	Windows Mobile 6.1	Windows Mobile 6.1	CE 3.0	CE .NET	Pocket PC 2003	Windows Mobile 5.0	Windows Mobile 6	Windows Mobile 6.1	Windows Mobile 6.5			
Internal GPS Firmware version or ID number	-	-	-	-	All	#8763# ¹	#9802# ¹	#9803#	-	-	-	-	All	3.2.5.0.0	3.2.5.0.1 or later	All	All	All	All	2.03 or earlier	2.11 or later	2.03 or earlier	2.11 or later	3.003	
GPS Pathfinder Tools SDK versions	2.20	2.25	2.30	2.31	2.32	2.33	2.34	2.35	2.40	2.41	2.42														
	-	✓	✓	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-	✓	✓	-	-	-	-	-	-
	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	-	-	-	-	✓	✓	-	-	-	-	-	-
	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	-	-	-	-	✓	✓	-	-	-	-	-	-
	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	-	-	-	-	✓	✓	✓	✓ ²	✓	✓ ²	-	-
	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓	✓ ²	-	-	✓	✓	✓	✓ ²	✓	✓ ²	-	-
	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-
	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-
	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-
	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-

¹The internal GPS receiver ID can be determined by using the program SatViewer to connect to the GPS receiver, then selecting the About tab. The receiver ID is the final part of the SiRF III Firmware string.

² An application developed with this version of GPS Pathfinder Tools SDK can be installed on this device but will not be able to connect to the internal GPS receiver as it is not compatible with the version of GPS firmware installed.

GPS Pathfinder Tools SDK software—GPS Pathfinder receivers

	GPS Pathfinder receivers																	
	Receiver part number	Pocket	XC	XB	Pro XL	Power	Pro XR			Pro XRS			Pro series		ProXRT			
		Receiver firmware version	43800-00	59960-00	59980-00	16851-40/ 16851-50	38198-50	46090-11	38073-XX	29654-XX	33302-53	33302-X1	33302-X0	Pro XT	Pro XH	Model 1	Model 2	
			3.10	2.30	3.15 or later	1.52 or later	1.70 or later	1.70 or later	1.31	1.70 or later	1.70 or later	1.52A	1.80 or later	1.80 or later	3.60	3.72	4.15	4.15
GPS Pathfinder Tools SDK versions	2.20	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-
	2.25	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-
	2.30	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	2.31	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	2.32	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	2.33	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	2.34	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-
	2.35	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-
	2.40	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-
	2.41	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	2.42	-	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

GPS Pathfinder Field Toolkit

GPS Pathfinder Field Toolkit—Versions of the Windows operating system: Desktop and tablet computers

		Desktop computers			Tablet computers	
		Windows XP	Windows Vista	Windows 7	Yuma	
Operating system	Windows XP				Windows Vista	Windows 7
Internal GPS Firmware version or ID number		-	-		All	
GPS Pathfinder Field Toolkit	1.00	✓	✓	✓	✓	✓
	1.10	✓	✓	✓	-	-

GPS Pathfinder Field Toolkit—versions of the Windows operating system: Field computers

		Field computers											
		Nomad series	Nomad 800G series		Nomad 900G series	Juno ST	Juno SA/SB/SC/SD	GeoExplorer 2005 series	GeoExplorer 2008 and 3000 series		GeoExplorer 6000 series		
GPS Pathfinder Field Toolkit	Operating system	Windows Mobile 6	Windows Mobile 6		Windows Mobile 6.1	Windows Mobile 5.0	Windows Mobile 6.1	Windows Mobile 5.0	Windows Mobile 6		Windows Mobile 6.1		Windows Mobile 6.5
		Internal GPS Firmware version or ID number	All	#8763# ¹	#9802# ¹	#9803#	All	3.2.5.0.1 or later	All	2.03 or earlier	2.11 or later	2.03 or earlier	2.11 or later
	1.00	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-
	1.10	-	-	-	-	-	-	-	-	-	-	-	✓

¹The internal GPS receiver ID can be determined by using the program SatViewer to connect to the GPS receiver, then selecting the About tab. The receiver ID is the final part of the SiRF III Firmware string.

GPS Pathfinder Field Toolkit—GPS Pathfinder receivers

	Receiver part number	GPS Pathfinder receivers										
		XC	XB	Pro XRS			Pro series		ProXRT			
							Pro XT	Pro XH	Model 1			Model 2
		Receiver firmware version	59960-00	59980-00	33302-53	33302-X1	33302-X0	52240-20	52240-00	85340-00		
1.00	✓	✓	✓	✓	-	✓	✓	-	✓	✓	✓	
1.10	-	-	-	-	-	-	-	-	-	-	-	