

U-3823A SR-1158 L Line ARID TEST

Stations

Data Item

- U7 - Terminal Description
- U17 - Sight Distance
- U18 - Weighted Design Speed
- U22 - Right of Way
- U23 - Access Control
- U24 - Speed Limit
- U25 - Improvement Year
- U26 - Type of Improvement
- U27 - Number of Lanes
- U28 - Surface Width
- U29 - Surface Type
- U30 - Shoulder Width Left
- U31 - Shoulder Type Left
- U32 - Shoulder Width Right
- U33 - Shoulder Type Right
- U34 - Median Width
- U35 - Median Type
- U36 - Year of Addition
- U37 - HPMS Truck Percent
- U38 - Design Hour Volume
- U39 - Designated Truck Route
- U40 - ADT Count
- U42 - ADT Year
- U45 - Percent Trucks Off-Peak
- U48 - Peak Parking Left
- U49 - Peak Parking Right
- U50 - Turning Lane Width
- U55 - HOV
- U56 - Surveillance Systems

19+75	32+00	34+50	38+00	41+00	43+45	46+75	59+60	61+15	62+75	64+77	72+00	74+35	75+70	84+45	85+00	87+00	87+10	87+50	88+72	89+00	89+90	93+00	94+00	96+10	105		
SR-1136												SR-1157															
												BLANK															
												50 MPH															
100				315				100				115				100				126				100			
45												1															
												35															
MA												RL				MA				RL				MA			
												2008															
MA												RL				MA				RL				MA			
48												60				54				48							
												63															
												0															
												C9															
												0															
												C9															
				12				0				2				4				8				12			
				2				1				4				1				2							
				1930												1996											
												1															
												11															
												1															
												9300															
												2007															
												3															
												BLANK															
												BLANK															
BLANK				12				BLANK				BLANK															
												0															
												0 (9)															

L-LINE			
U7 -	19+75 - 59+60	SR 1136	
	59+60 - 105+36	SR 1157	
U17 -	19+75 - 105+36	blank	
U18 -	19+75 - 105+36	50 MPH	
U22 -	19+75 - 43+45	100'	43+45 - 46+75 315'
			46+75 - 85+00 100'
U23 -	19+75 - 105+36	1	85+00 - 87+10 115'
			87+10 - 88+72 100'
U24 -	19+75 - 61+15	45 mph	88+72 - 94+00 126'
	61+15 - 105+36	35 mph	94+00 - 105+36 100'
U25 -	19+75 - 32+00	MA	
	32+00 - 34+50	RL	
	34+50 - 38+00	MA	
	38+00 - 41+00	RL	
	41+00 - 75+70	MA	
	75+70 - 87+50	RL	
	87+50 - 105+36	MA	
U27 -	19+75 - 105+36	4	
U28 -	19+75 - 59+60	48	
	59+60 - 62+75	60	
	62+75 - 64+77	54	
	64+77 - 72+00	48	
	72+00 - 75+00	48	
	75+00 - 84+45	48	
	84+45 - 89+90	48	
	89+90 - 96+10	48	
	96+10 - 105+00	48	
	105+00 - 105+36	48	

NC Department of Transportation
 Division of Highways
 Highway Building
 1 S. Wilmington Street
 Raleigh, NC 27601

SUBJECT U-3823B PROJECT AR10 4/28/08
 _____ COUNTY _____
 PREPARED BY _____ DATE _____ STATION _____
 CHECKED BY _____ DATE _____ STR NO _____ SHEET 2 OF 3

U-29	19+75 - 105+36	63	
U-30	19+75 - 105+36	0	
U-31	19+75 - 105+36	C9	
U-32	19+75 - 105+36	0	
U-33	19+75 - 105+36	C9	
U-34	19+75 - 72+00	12	
	72+00 - 84+45	0	
	84+45 - 87+00	2	
	87+00 - 89+00	4	
	89+00 - 93+00	8	
	93+00 - 96+10	12	
U-35	96+10 - 105+36	12	
	19+75 - 72+00	2	
	72+00 - 84+45	1	
	84+45 - 89+00	4	
	89+00 - 96+10	1	
U-36	96+10 - 105+36	2	
	0+00 - 1.41	30	(existing)
U-37	1.41 - 1.94	96	
	19+75 - 105+36	1	
U-38	19+75 - 105+36	11	
U-39	19+75 - 105+36	1	
U-40	19+75 - 105+36	9300	
U-42	19+75 - 105+36	2007	

NC Department of Transportation
Division of Highways
Highway Building
1 S. Wilmington Street
Raleigh, NC 27601

SUBJECT U-5823B PROJECT ARID 4/28/88

COUNTY _____
PREPARED BY _____ DATE _____ STATION _____
CHECKED BY _____ DATE _____ STR NO. _____ SHEET 3 OF 3

U-45	19+75 - 105+36	3
U-48	19+75 - 105+36	BLANK
U-49	19+75 - 105+36	BLANK
U-50	19+75 - 59+60 59+60 - 62+75	BLANK 12
U-55	19+75 - 105+36	0
U-56	19+75 + 105+36	0 (a)